

Drayton Part No	Imperial Sizes (inch)			Metric Sizes (mm)			Angle °
	OD	ID	Depth	OD	ID	Depth	
C1000-3	1.0045	0.5000	0.4380	25.51	12.70	11.00	45
C1000-1	1.0045	0.7500	0.1880	25.51	19.05	5.00	45
C1000-2	1.0045	0.8130	0.1880	25.51	20.65	5.00	45
C1062-6	1.0670	0.5630	0.4380	27.10	14.30	11.00	45
C1062-3	1.0670	0.7810	0.1880	27.10	19.84	5.00	45
C1062-4	1.0670	0.7810	0.2500	27.10	19.84	6.50	45
C1062-5	1.0670	0.8130	0.1880	27.10	20.65	5.00	45
C1062-1	1.0670	0.8750	0.1560	27.10	22.23	4.00	45
C1062-2	1.0670	0.8750	0.1880	27.10	22.23	5.00	45
C1062-50	1.0695	0.7900	0.2540	27.17	20.07	6.50	45
S1062-50	1.0695	0.7900	0.2540	27.17	20.07	6.50	45
C1062-51	1.0695	0.8700	0.1950	27.17	22.10	5.00	45
C1102-E1	1.1024	0.7870	0.3150	28.00	19.99	8.00	45
S1102-E1	1.1024	0.7870	0.3150	28.00	19.99	8.00	45
C1102-E1N	1.1024	0.7870	0.3150	28.00	19.99	8.00	45
C1125-11	1.1295	0.6250	0.4380	28.69	15.88	11.00	45
C1125-10	1.1295	0.7500	0.2500	28.69	19.05	6.50	45
C1125-2	1.1295	0.8130	0.1880	28.69	20.65	5.00	45
C1125-3	1.1295	0.8750	0.1560	28.69	22.23	4.00	45
C1125-5	1.1295	0.8750	0.1880	28.69	22.23	5.00	45
C1125-1	1.1295	0.8750	0.2190	28.69	22.23	5.50	45
S1125-1	1.1295	0.8750	0.2190	28.69	22.23	5.50	45
C1125-4	1.1295	0.8750	0.2500	28.69	22.23	6.50	45
C1125-7	1.1295	0.8750	0.3130	28.69	22.23	8.00	45
C1125-6	1.1295	0.9380	0.1880	28.69	23.83	5.00	45
C1125-8	1.1295	0.9380	0.2190	28.69	23.83	5.50	45
C1125-9	1.1295	0.9380	0.2500	28.69	23.83	6.50	45
C1125-55	1.1320	0.8300	0.2400	28.75	21.08	6.00	45
C1125-51	1.1320	0.8540	0.2370	28.75	21.69	6.00	45
C1125-54	1.1320	0.9000	0.3250	28.75	22.86	8.00	45
C1125-52	1.1320	0.8250T	0.2850	28.75	20.96 / 23.50	7.00	45

C1125-53	1.1320	0.8900T	0.2370	28.75	22.61 / 24.79	6.00	45
C1142-E2	1.1417	0.8270	0.3350	29.00	21.01	8.50	45
S1142-E2	1.1417	0.8270	0.3350	29.00	21.01	8.50	45
C1142-E2N	1.1417	0.8270	0.3350	29.00	21.01	8.50	45
C1161-E1	1.1610	0.9100T	0.2220	29.49	23.11 / 24.77	5.50	30
C1181-E1	1.1811	0.8660	0.3350	30.00	22.00	8.50	45
S1181-E1	1.1811	0.8660	0.3350	30.00	22.00	8.50	45
C1181-E1N	1.1811	0.8660	0.3350	30.00	22.00	8.50	45
C1187-12	1.1920	0.6880	0.4380	30.28	17.48	11.00	45
C1187-2	1.1920	0.8750	0.2500	30.28	22.23	6.50	45
C1187-3	1.1920	0.9380	0.1410	30.28	23.83	3.50	45
C1187-4	1.1920	0.9380	0.1880	30.28	23.83	5.00	45
C1187-5	1.1920	0.9380	0.2500	30.28	23.83	6.50	45
C1187-1	1.1920	1.0000	0.1880	30.28	25.40	5.00	45
S1187-1	1.1920	1.0000	0.1880	30.28	25.40	5.00	45
C1187-7	1.1920	1.0000	0.2190	30.28	25.40	5.50	45
C1187-6	1.1920	1.0000	0.2500	30.28	25.40	6.50	45
C1187-54	1.1945	0.8800	0.2800	30.34	22.35	7.00	45
C1187-51	1.1945	0.9050	0.2570	30.34	22.99	6.50	45
C1187-53	1.1945	0.9350	0.2350	30.34	23.75	6.00	45
C1187-52	1.1945	0.9340T	0.2570	30.34	23.72 / 25.27	6.50	45
C1221-E2	1.2205	0.9060	0.3350	31.00	23.01	8.50	45
S1221-E2	1.2205	0.9060	0.3350	31.00	23.01	8.50	45
C1221-E2N	1.2205	0.9060	0.3350	31.00	23.01	8.50	45
C1250-13	1.2545	0.7500	0.4380	31.86	19.05	11.00	45
C1250-4	1.2545	0.8750	0.1880	31.86	22.23	5.00	45
C1250-2	1.2545	1.0000	0.1880	31.86	25.40	5.00	45
C1250-1	1.2545	1.0000	0.2190	31.86	25.40	5.50	45
S1250-1	1.2545	1.0000	0.2190	31.86	25.40	5.50	45
C1250-3	1.2545	1.0000	0.2500	31.86	25.40	6.50	45
S1250-3	1.2545	1.0000	0.2500	31.86	25.40	6.50	45
C1250-12	1.2545	1.0000	0.3130	31.86	25.40	8.00	45
C1250-0	1.2545	1.0000	0.3750	31.86	25.40	9.50	45

C1250-63	1.2570	0.9300	0.3250	31.93	23.62	8.00	45
C1250-58	1.2570	0.9550	0.2550	31.93	24.26	6.50	45
C1250-64	1.2570	0.9700	0.2700	31.93	24.64	7.00	45
C1250-61	1.2570	0.9760	0.1800	31.93	24.79	4.50	45
C1250-59	1.2570	0.9820	0.3290	31.93	24.94	8.50	45
C1250-62	1.2570	1.0000	0.3050	31.93	25.40	7.50	45
C1250-53	1.2570	1.0240	0.2570	31.93	26.01	6.50	45
C1250-65	1.2570	1.0300	0.2150	31.93	26.16	5.50	45
C1250-56	1.2570	0.9050T	0.2300	31.93	22.99 / 25.53	6.00	45
S1250-56	1.2570	0.9050T	0.2300	31.93	22.99 / 25.53	6.00	45
C1250-52	1.2570	0.9100T	0.2850	31.93	23.11 / 26.72	7.00	45
C1250-50	1.2570	0.9650T	0.2500	31.93	24.51 / 26.92	6.50	45
C1250-57	1.2570	0.9820T	0.2120	31.93	24.94 / 27.99	5.50	45
C1250-54	1.2570	1.0100T	0.2570	31.93	25.65 / 26.82	6.50	45
C1250-60	1.2570	1.0230T	0.2730	31.93	25.98 / 28.19	7.00	45
C1250-55	1.2570	1.0500T	0.2550	31.93	25.53 / 27.94	6.50	45
C1260-E1	1.2598	0.9450	0.3350	32.00	24.00	8.50	45
S1260-E1	1.2598	0.9450	0.3350	32.00	24.00	8.50	45
C1260-E1N	1.2598	0.9450	0.3350	32.00	24.00	8.50	45
C1262-E1	1.2620	0.9750T	0.2500	32.05	24.77 / 26.54	6.50	30
C1299-E1	1.2992	0.9840	0.3350	33.00	24.99	8.50	45
S1299-E1	1.2992	0.9840	0.3350	33.00	24.99	8.50	45
C1299-E1N	1.2992	0.9840	0.3350	33.00	24.99	8.50	45
C1312-16	1.3170	0.8130	0.4380	33.45	20.65	11.00	45
C1312-2	1.3170	1.0000	0.1880	33.45	25.40	5.00	45
C1312-3	1.3170	1.0000	0.2190	33.45	25.40	5.50	45
C1312-4	1.3170	1.0000	0.2500	33.45	25.40	6.50	45
C1312-5	1.3170	1.0000	0.3130	33.45	25.40	8.00	45
C1312-1	1.3170	1.0630	0.1880	33.45	27.00	5.00	45
S1312-1	1.3170	1.0630	0.1880	33.45	27.00	5.00	45
C1312-6	1.3170	1.0630	0.2190	33.45	27.00	5.50	45
S1312-6	1.3170	1.0630	0.2190	33.45	27.00	5.50	45
C1312-9	1.3170	1.0630	0.2500	33.45	27.00	6.50	45

C1312-10	1.3170	1.0630	0.3130	33.45	27.00	8.00	45
C1312-0	1.3170	1.0630	0.3750	33.45	27.00	9.50	45
C1312-11	1.3170	1.0940	0.2190	33.45	27.79	5.50	45
C1312-7	1.3170	1.1250	0.1880	33.45	28.58	5.00	45
C1312-13	1.3170	1.1250	0.2190	33.45	28.58	5.50	45
C1312-68	1.3195	0.9750	0.2800	33.52	24.77	7.00	45
C1312-67	1.3195	1.0420	0.2380	33.52	26.47	6.00	45
S1312-67	1.3195	1.0420	0.2380	33.52	26.47	6.00	45
C1312-59	1.3195	1.0440	0.2730	33.52	26.52	7.00	45
C1312-64	1.3195	1.0450	0.3160	33.52	26.54	8.00	45
S1312-64	1.3195	1.0450	0.3160	33.52	26.54	8.00	45
C1312-57	1.3195	1.0600	0.2800	33.52	26.92	7.00	45
C1312-56	1.3195	1.0860	0.3050	33.52	27.58	7.50	45
S1312-56	1.3195	1.0860	0.3050	33.52	27.58	7.50	45
C1312-63	1.3195	0.9650T	0.2350	33.52	24.51 / 27.31	6.00	45
C1312-53	1.3195	0.9800T	0.2930	33.52	24.89 / 28.09	7.50	45
C1312-66	1.3195	1.0200T	0.2580	33.52	25.91 / 28.63	6.50	45
C1312-65	1.3195	1.0600T	0.2300	33.52	26.92 / 28.37	6.00	45
C1312-52	1.3195	1.0600T	0.2400	33.52	26.92 / 27.61	6.00	45
C1312-61	1.3195	1.0600T	0.2750	33.52	26.92 / 27.99	7.00	45
C1312-62	1.3195	1.0650T	0.2850	33.52	27.05 / 28.45	7.00	45
C1312-60	1.3195	1.0700T	0.2570	33.52	27.18 / 29.85	6.50	45
C1312-54	1.3195	1.0700T	0.3300	33.52	27.18 / 28.78	8.00	45
C1312-50	1.3195	1.0860T	0.3050	33.52	27.58 / 29.29	7.50	45
C1339-E2	1.3386	1.0240	0.3350	34.00	26.01	8.50	45
S1339-E2	1.3386	1.0240	0.3350	34.00	26.01	8.50	45
C1339-E2N	1.3386	1.0240	0.3350	34.00	26.01	8.50	45
C1348-E1N	1.3480	1.0870	0.2000	34.24	27.61	5.00	45
C1378-E1	1.3780	1.0240	0.3540	35.00	26.01	9.00	45
S1378-E1	1.3780	1.0240	0.3540	35.00	26.01	9.00	45
C1378-E1N	1.3780	1.0240	0.3540	35.00	26.01	9.00	45
C1375-27	1.3795	0.8750	0.4380	35.04	22.23	11.00	45
C1375-10	1.3795	0.9380	0.3130	35.04	23.83	8.00	45

C1375-8	1.3795	1.0000	0.1880	35.04	25.40	5.00	45
C1375-26	1.3795	1.0000	0.2810	35.04	25.40	7.00	45
C1375-3	1.3795	1.0630	0.1880	35.04	27.00	5.00	45
C1375-3N	1.3795	1.0630	0.1880	35.04	27.00	5.00	45
C1375-6	1.3795	1.0630	0.2190	35.04	27.00	5.50	45
C1375-7	1.3795	1.0630	0.2500	35.04	27.00	6.50	45
C1375-18	1.3795	1.0630	0.3130	35.04	27.00	8.00	45
C1375-25	1.3795	1.0940	0.2030	35.04	27.79	5.00	45
C1375-4	1.3795	1.1250	0.1880	35.04	28.58	5.00	45
S1375-4	1.3795	1.1250	0.1880	35.04	28.58	5.00	45
C1375-4N	1.3795	1.1250	0.1880	35.04	28.58	5.00	45
C1375-1	1.3795	1.1250	0.2190	35.04	28.58	5.50	45
S1375-1	1.3795	1.1250	0.2190	35.04	28.58	5.50	45
C1375-1N	1.3795	1.1250	0.2190	35.04	28.58	5.50	45
C1375-2	1.3795	1.1250	0.2500	35.04	28.58	6.50	45
C1375-5	1.3795	1.1250	0.2660	35.04	28.58	7.00	45
C1375-5N	1.3795	1.1250	0.2660	35.04	28.58	7.00	45
C1375-0	1.3795	1.1250	0.3750	35.04	28.58	9.50	45
C1375-22	1.3795	1.1880	0.2190	35.04	30.18	5.50	45
C1375-64	1.3820	1.0000	0.2800	35.10	25.40	7.00	45
C1375-56	1.3820	1.1020	0.2600	35.10	27.99	6.50	45
C1375-55	1.3820	1.1200	0.3250	35.10	28.45	8.00	45
S1375-55	1.3820	1.1200	0.3250	35.10	28.45	8.50	45
C1375-65	1.3820	1.1650	0.3100	35.10	29.59	8.00	45
C1375-52	1.3820	1.0000T	0.4100	35.10	25.4 / 28.17	10.00	45
C1375-54	1.3820	1.0220T	0.2300	35.10	25.96 / 27.56	6.00	45
C1375-59	1.3820	1.0500T	0.2750	35.10	26.67 / 30.23	7.00	45
C1375-63	1.3820	1.0570T	0.2400	35.10	26.85 / 28.19	6.00	45
C1375-51	1.3820	1.0600T	0.2800	35.10	26.92 / 29.21	7.00	45
C1375-62	1.3820	1.1000T	0.3000	35.10	27.94 / 30.73	7.50	45
C1375-60	1.3820	1.1070T	0.2370	35.10	28.12 / 30.91	6.00	45
C1375-50	1.3820	1.1090T	0.2550	35.10	28.17 / 30.94	6.50	45
C1375-61	1.3820	1.1300T	0.3040	35.10	28.70 / 32.31	7.50	45

C1417-E1	1.4173	1.0630	0.3540	36.00	27.00	9.00	45
S1417-E1	1.4173	1.0630	0.3540	36.00	27.00	9.00	45
C1417-E1N	1.4173	1.0630	0.3540	36.00	27.00	9.00	45
C1431-E1	1.4305	1.1560	0.1600	36.33	29.36	4.00	30
C1441-E1	1.4410	1.2030T	0.2150	36.60	30.56 / 31.62	5.50	30
C1437-32	1.4420	0.9380	0.4380	36.63	23.83	11.00	45
C1437-15	1.4420	1.0000	0.1880	36.63	25.40	5.00	45
C1437-17	1.4420	1.0000	0.2500	36.63	25.40	6.50	45
C1437-18	1.4420	1.0000	0.3130	36.63	25.40	8.00	45
C1437-9	1.4420	1.0630	0.1880	36.63	27.00	5.00	45
C1437-22	1.4420	1.0630	0.3130	36.63	27.00	8.00	45
C1437-10	1.4420	1.1250	0.1880	36.63	28.58	5.00	45
C1437-4	1.4420	1.1250	0.2190	36.63	28.58	5.50	45
S1437-4	1.4420	1.1250	0.2190	36.63	28.58	5.50	45
C1437-8	1.4420	1.1250	0.2500	36.63	28.58	6.50	45
S1437-8	1.4420	1.1250	0.2500	36.63	28.58	6.50	45
C1437-6	1.4420	1.1250	0.3130	36.63	28.58	8.00	45
S1437-6	1.4420	1.1250	0.3130	36.63	28.58	8.00	45
C1437-13	1.4420	1.1880	0.1560	36.63	30.18	4.00	45
C1437-24	1.4420	1.1880	0.1880	36.63	30.18	5.00	45
C1437-3	1.4420	1.1880	0.2190	36.63	30.18	5.50	45
S1437-3	1.4420	1.1880	0.2190	36.63	30.18	5.50	45
C1437-3N	1.4420	1.1880	0.2190	36.63	30.18	5.50	45
C1437-5	1.4420	1.1880	0.2500	36.63	30.18	6.50	45
C1437-25	1.4420	1.1880	0.3130	36.63	30.18	8.00	45
C1437-0	1.4420	1.1880	0.3750	36.63	30.18	9.50	45
C1437-2	1.4420	1.2190	0.2190	36.63	30.96	5.50	45
S1437-2	1.4420	1.2190	0.2190	36.63	30.96	5.50	45
C1437-2N	1.4420	1.2190	0.2190	36.63	30.96	5.50	45
C1437-14	1.4420	1.2190	0.2500	36.63	30.96	6.50	45
C1442-E2	1.4420	1.2190	0.3440	36.63	30.96	8.50	45
C1437-28	1.4420	1.2500	0.1880	36.63	31.75	5.00	45
C1437-1	1.4420	1.2500	0.2190	36.63	31.75	5.50	45

S1437-1	1.4420	1.2500	0.2190	36.63	31.75	5.50	45
C1437-1N	1.4420	1.2500	0.2190	36.63	31.75	5.50	45
C1437-30	1.4420	1.2500	0.3130	36.63	31.75	8.00	45
C1437-51	1.4420	1.1300T	0.2500	36.63	28.70 / 33.30	6.50	45
C1442-E1	1.4420	1.1410T	0.2500	36.63	28.98 / 30.48	6.50	30
C1437-54	1.4420	1.2300T	0.2500	36.63	31.24 / 32.99	6.50	45
C1437-65	1.4445	1.1050	0.3220	36.69	28.07	8.00	45
S1437-65	1.4445	1.1050	0.3220	36.69	28.07	8.00	45
C1437-66	1.4445	1.1200	0.3000	36.69	28.45	7.50	45
C1437-60	1.4445	1.1250	0.2570	36.69	28.58	6.50	45
C1437-74	1.4445	1.1620	0.2300	36.69	29.51	6.00	45
C1437-61	1.4445	1.1620	0.3100	36.69	29.51	8.00	45
C1437-75	1.4445	1.1750	0.2600	36.69	29.85	6.50	45
C1437-62	1.4445	1.2000	0.2970	36.69	30.48	7.50	45
S1437-62	1.4445	1.2000	0.2970	36.69	30.48	7.50	45
C1437-53	1.4445	1.0900T	0.3540	36.69	27.69 / 27.97	9.00	45
C1437-58	1.4445	1.0950T	0.2370	36.69	27.81 / 32.05	6.00	45
C1437-64	1.4445	1.1000T	0.2270	36.69	27.94 / 31.88	6.00	45
C1437-57	1.4445	1.1000T	0.2930	36.69	27.94 / 32.00	7.50	45
C1437-56	1.4445	1.1100T	0.3150	36.69	28.19 / 30.86	8.00	45
C1437-68	1.4445	1.1350T	0.3160	36.69	28.83 / 31.75	8.00	45
C1437-69	1.4445	1.1400T	0.2370	36.69	28.96 / 31.19	6.00	45
C1437-50	1.4445	1.1400T	0.3050	36.69	28.96 / 31.52	7.50	45
C1437-73	1.4445	1.1420T	0.3360	36.69	29.01 / 32.13	8.50	45
C1437-72	1.4445	1.1500T	0.2570	36.69	29.21 / 31.57	6.50	45
C1437-52	1.4445	1.1500T	0.4100	36.69	29.21 / 32.28	10.00	45
C1437-71	1.4445	1.1620T	0.2140	36.69	29.51 / 30.73	5.50	45
C1437-67	1.4445	1.1800T	0.2550	36.69	29.97 / 32.26	6.50	45
C1437-59	1.4445	1.1800T	0.3050	36.69	29.97 / 31.62	7.50	45
C1437-63	1.4445	1.1810T	0.2800	36.69	30.00 / 32.64	7.00	45
C1457-E2	1.4567	1.1020	0.3540	37.00	27.99	9.00	45
S1457-E2	1.4567	1.1020	0.3540	37.00	27.99	9.00	45
C1457-E2N	1.4567	1.1020	0.3540	37.00	27.99	9.00	45

C1460-E2N	1.4605	1.2360	0.2360	37.10	31.39	6.00	45
C1486-E1	1.4860	1.2700	0.2900	37.74	32.26	7.00	30
C1496-E1	1.4961	1.1420	0.3540	38.00	29.01	9.00	45
S1496-E1	1.4961	1.1420	0.3540	38.00	29.01	9.00	45
C1496-E1N	1.4961	1.1420	0.3540	38.00	29.01	9.00	45
C1500-19	1.5045	1.0000	0.3750	38.21	25.40	9.50	45
C1500-33	1.5045	1.0000	0.4380	38.21	25.40	11.00	45
C1500-23	1.5045	1.0630	0.3130	38.21	27.00	8.00	45
C1500-5	1.5045	1.1250	0.1880	38.21	28.58	5.00	45
C1500-8	1.5045	1.1250	0.2190	38.21	28.58	5.50	45
C1500-9	1.5045	1.1250	0.3130	38.21	28.58	8.00	45
S1500-9	1.5045	1.1250	0.3130	38.21	28.58	8.00	45
C1500-2	1.5045	1.1880	0.2190	38.21	30.18	5.50	45
S1500-2	1.5045	1.1880	0.2190	38.21	30.18	5.50	45
C1500-6	1.5045	1.1880	0.2500	38.21	30.18	6.50	45
S1500-6	1.5045	1.1880	0.2500	38.21	30.18	6.50	45
C1500-10	1.5045	1.1880	0.3130	38.21	30.18	8.00	45
S1500-10	1.5045	1.1880	0.3130	38.21	30.18	8.00	45
C1500-26	1.5045	1.1880	0.3750	38.21	30.18	9.50	45
C1500-11	1.5045	1.2190	0.2500	38.21	30.96	6.50	45
C1500-13	1.5045	1.2500	0.1880	38.21	31.75	5.00	45
S1500-13	1.5045	1.2500	0.1880	38.21	31.75	5.00	45
C1500-1	1.5045	1.2500	0.2190	38.21	31.75	5.50	45
S1500-1	1.5045	1.2500	0.2190	38.21	31.75	5.50	45
C1500-1N	1.5045	1.2500	0.2190	38.21	31.75	5.50	45
C1500-3	1.5045	1.2500	0.2500	38.21	31.75	6.50	45
S1500-3	1.5045	1.2500	0.2500	38.21	31.75	6.50	45
C1500-28	1.5045	1.2500	0.2810	38.21	31.75	7.00	45
C1500-12	1.5045	1.2500	0.3130	38.21	31.75	8.00	45
C1505-E1	1.5045	1.2500	0.3440	38.21	31.75	8.50	45
C1500-0	1.5045	1.2500	0.3750	38.21	31.75	9.50	45
C1500-29	1.5045	1.3130	0.1880	38.21	33.35	5.00	45
S1500-29	1.5045	1.3130	0.1880	38.21	33.35	5.00	45

C1500-30	1.5045	1.3130	0.2190	38.21	33.35	5.50	45
S1500-30	1.5045	1.3130	0.2190	38.21	33.35	5.50	45
S1500-4	1.5045	1.2190T	0.2190	38.21	30.96	5.50	45
C1500-4	1.5045	1.219T	0.2190	38.21	30.96 / 34.13	5.50	45
C1500-75	1.5070	1.1800	0.3000	38.28	29.97	7.50	45
C1500-70	1.5070	1.2030	0.2830	38.28	30.56	7.00	45
C1500-73	1.5070	1.2300	0.2780	38.28	31.24	7.00	45
C1500-71	1.5070	1.2400	0.3170	38.28	31.50	8.00	45
C1500-80	1.5070	1.2500	0.2300	38.28	31.75	6.00	45
C1500-69	1.5070	1.2550	0.3180	38.28	31.88	8.00	45
S1500-69	1.5070	1.2550	0.3180	38.28	31.88	8.00	45
C1500-79	1.5070	1.2950	0.2620	38.28	32.89	6.50	45
C1500-57	1.5070	1.1000T	0.3160	38.28	27.94 / 30.81	8.00	45
S1500-57	1.5070	1.1000T	0.3160	38.28	27.94 / 30.81	8.00	45
C1500-64	1.5070	1.1400T	0.3250	38.28	28.96 / 34.59	8.00	45
C1500-65	1.5070	1.1400T	0.3250	38.28	28.96 / 32.26	8.00	45
C1500-77	1.5070	1.1750T	0.2360	38.28	29.85 / 31.37	6.00	45
S1500-77	1.5070	1.1750T	0.2360	38.28	29.85 / 31.37	6.00	45
C1500-68	1.5070	1.1790T	0.2930	38.28	29.95 / 32.69	7.50	45
C1500-74	1.5070	1.1800T	0.2140	38.28	29.97 / 32.51	5.50	45
S1500-74	1.5070	1.1800T	0.2140	38.28	29.97 / 32.51	5.50	45
C1500-53	1.5070	1.1800T	0.3070	38.28	29.97 / 31.52	8.00	45
S1500-53	1.5070	1.1800T	0.3070	38.28	29.97 / 31.52	8.00	45
C1500-54	1.5070	1.1800T	0.3070	38.28	29.97 / 33.66	8.00	45
S1500-54	1.5070	1.1800T	0.3070	38.28	29.97 / 33.66	8.00	45
C1500-72	1.5070	1.1820T	0.2750	38.28	30.02 / 32.00	7.00	45
C1500-58	1.5070	1.2000T	0.3150	38.28	30.48 / 30.99	8.00	45
S1500-58	1.5070	1.2000T	0.3150	38.28	30.48 / 30.99	8.00	45
C1500-50	1.5070	1.2030T	0.2800	38.28	30.56 / 32.16	7.00	45
C1500-59	1.5070	1.2100T	0.3250	38.28	30.73 / 34.04	8.00	45
C1500-63	1.5070	1.2100T	0.3450	38.28	30.73 / 31.70	9.00	45
S1500-63	1.5070	1.2100T	0.3450	38.28	30.73 / 31.70	9.00	45
C1500-76	1.5070	1.2150T	0.2750	38.28	30.86 / 34.04	7.00	45

C1500-62	1.5070	1.2200T	0.3100	38.28	30.99 / 32.61	8.00	45
S1500-62	1.5070	1.2200T	0.3100	38.28	30.99 / 32.61	8.00	45
C1500-61	1.5070	1.2200T	0.3150	38.28	30.99 / 33.78	8.00	45
C1500-52	1.5070	1.2600T	0.2400	38.28	32.00 / 35.76	6.00	45
C1500-56	1.5070	1.2750T	0.2500	38.28	32.39 / 33.48	6.50	45
C1516-E1	1.5160	1.2500	0.2500	38.51	31.75	6.50	45
C1535-E1	1.5354	1.1810	0.3540	39.00	30.00	9.00	45
S1535-E1	1.5354	1.1810	0.3540	39.00	30.00	9.00	45
C1535-E1N	1.5354	1.1810	0.3540	39.00	30.00	9.00	45
C1536-E2N	1.5365	1.2550T	0.3585	39.03	31.88 / 35.69	9.00	45
C1539-E2	1.5395	1.2970T	0.2760	39.10	32.94 / 35.31	7.00	45
C1562-22	1.5670	1.0630	0.1880	39.80	27.00	5.00	45
C1562-23	1.5670	1.0630	0.2190	39.80	27.00	5.50	45
C1562-24	1.5670	1.0630	0.2500	39.80	27.00	6.50	45
C1562-25	1.5670	1.0630	0.3130	39.80	27.00	8.00	45
C1562-26	1.5670	1.0630	0.3750	39.80	27.00	9.50	45
C1562-44	1.5670	1.0630	0.4380	39.80	27.00	11.00	45
C1562-27	1.5670	1.1250	0.1880	39.80	28.58	5.00	45
C1562-14	1.5670	1.1250	0.2190	39.80	28.58	5.50	45
C1562-15	1.5670	1.1250	0.2500	39.80	28.58	6.50	45
C1562-28	1.5670	1.1250	0.3130	39.80	28.58	8.00	45
C1562-29	1.5670	1.1250	0.3750	39.80	28.58	9.50	45
C1562-30	1.5670	1.1880	0.1880	39.80	30.18	5.00	45
C1562-13	1.5670	1.1880	0.2190	39.80	30.18	5.50	45
C1562-31	1.5670	1.1880	0.2500	39.80	30.18	6.50	45
C1562-11	1.5670	1.1880	0.3130	39.80	30.18	8.00	30
C1562-0	1.5670	1.1880	0.3750	39.80	30.18	9.50	45
S1562-0	1.5670	1.1880	0.3750	39.80	30.18	9.50	45
C1562-16	1.5670	1.2500	0.1880	39.80	31.75	5.00	45
C1562-16N	1.5670	1.2500	0.1880	39.80	31.75	5.00	45
C1562-6	1.5670	1.2500	0.2190	39.80	31.75	5.50	45
S1562-6	1.5670	1.2500	0.2190	39.80	31.75	5.50	45
C1562-6N	1.5670	1.2500	0.2190	39.80	31.75	5.50	45

C1562-7	1.5670	1.2500	0.2500	39.80	31.75	6.50	45
S1562-7	1.5670	1.2500	0.2500	39.80	31.75	6.50	45
C1562-46N	1.5670	1.2500	0.2810	39.80	31.75	7.00	45
C1562-17	1.5670	1.2500	0.3130	39.80	31.75	8.00	45
S1562-17	1.5670	1.2500	0.3130	39.80	31.75	8.00	45
C1562-32	1.5670	1.2500	0.3440	39.80	31.75	8.50	45
C1562-35	1.5670	1.2500	0.3750	39.80	31.75	9.50	45
C1562-20	1.5670	1.2810	0.2190	39.80	32.54	5.50	45
C1562-36	1.5670	1.3130	0.1880	39.80	33.35	5.00	45
S1562-36	1.5670	1.3130	0.1880	39.80	33.35	5.00	45
C1562-36N	1.5670	1.3130	0.1880	39.80	33.35	5.00	45
C1562-1	1.5670	1.3130	0.2190	39.80	33.35	5.50	45
S1562-1	1.5670	1.3130	0.2190	39.80	33.35	5.50	45
C1562-1N	1.5670	1.3130	0.2190	39.80	33.35	5.50	45
C1562-8	1.5670	1.3130	0.2190	39.80	33.35	5.50	30
C1562-4	1.5670	1.3130	0.2500	39.80	33.35	6.50	45
S1562-4	1.5670	1.3130	0.2500	39.80	33.35	6.50	45
C1562-37	1.5670	1.3130	0.2810	39.80	33.35	7.00	45
C1562-18	1.5670	1.3130	0.3130	39.80	33.35	8.00	45
C1562-38	1.5670	1.3130	0.3440	39.80	33.35	8.50	45
C1562-39	1.5670	1.3130	0.3750	39.80	33.35	9.50	45
C1562-3	1.5670	1.3440	0.2190	39.80	34.14	5.50	45
C1562-40	1.5670	1.3750	0.1880	39.80	34.93	5.00	45
C1562-12	1.5670	1.3750	0.2190	39.80	34.93	5.50	45
S1562-12	1.5670	1.3750	0.2190	39.80	34.93	5.50	45
C1562-5	1.5670	1.3750	0.2500	39.80	34.93	6.50	45
C1562-19	1.5670	1.3750	0.3130	39.80	34.93	8.00	45
C1562-41	1.5670	1.3750	0.3750	39.80	34.93	9.50	45
C1562-34	1.5670	1.1880T	0.3130	39.80	30.18 / 31.75	8.00	45
C1562-42	1.5670	1.188T	0.2190	39.80	30.18 / 35.05	5.50	45
C1562-52	1.5670	1.1900T	0.3150	39.80	30.23 / 33.55	8.00	45
C1562-9	1.5670	1.3130T	0.2190	39.80	33.35 / 34.93	5.50	45
S1562-9	1.5670	1.3130T	0.2190	39.80	33.35 / 34.93	5.50	45

C1562-9N	1.5670	1.3130T	0.2190	39.80	33.35 / 34.93	5.50	45
C1562-2	1.5670	1.3130T	0.2500	39.80	33.35 / 34.93	6.50	45
S1562-2	1.5670	1.3130T	0.2500	39.80	33.35 / 34.93	6.50	45
C1562-2N	1.5670	1.3130T	0.2500	39.80	33.35 / 34.93	6.50	45
C1562-77	1.5695	1.1700	0.2670	39.87	29.72	7.00	45
C1562-72	1.5695	1.1800	0.3160	39.87	29.97	8.00	45
C1562-69	1.5695	1.2190	0.3170	39.87	30.96	8.00	45
S1562-69	1.5695	1.2190	0.3170	39.87	30.96	8.00	45
C1562-69N	1.5695	1.2190	0.3170	39.87	30.96	8.00	45
C1562-78	1.5695	1.2300	0.2780	39.87	31.24	7.00	45
C1562-73	1.5695	1.2600	0.2330	39.87	32.00 / 34.93	6.00	45
C1562-76	1.5695	1.3000	0.2570	39.87	33.02	6.50	45
C1562-53	1.5695	1.1300T	0.3150	39.87	28.70 / 32.18	8.00	45
C1562-70	1.5695	1.1800T	0.3050	39.87	29.97 / 33.02	7.50	45
C1562-75	1.5695	1.2000T	0.2930	39.87	30.48 / 31.83	7.50	45
C1562-54	1.5695	1.2200T	0.3440	39.87	30.99 / 34.44	8.50	45
S1562-54	1.5695	1.2200T	0.3440	39.87	30.99 / 34.44	8.50	45
C1562-51	1.5695	1.2450T	0.3540	39.87	31.62 / 32.21	9.00	45
C1562-57	1.5695	1.2460T	0.2300	39.87	31.65 / 33.10	6.00	45
C1562-67	1.5695	1.2550T	0.3190	39.87	31.88 / 34.85	8.00	45
S1562-67	1.5695	1.2550T	0.3190	39.87	31.88 / 34.85	8.00	45
C1562-50	1.5695	1.2600T	0.2800	39.87	32.00 / 35.86	7.00	45
C1562-66	1.5695	1.2650T	0.2800	39.87	32.13 / 32.87	7.00	45
S1562-66	1.5695	1.2650T	0.2800	39.87	32.13 / 32.87	7.00	45
C1562-71	1.5695	1.2750T	0.2580	39.87	32.39 / 34.67	6.50	45
C1562-74	1.5695	1.2900T	0.3240	39.87	32.77 / 33.66	8.00	45
C1562-65	1.5695	1.3000T	0.3150	39.87	33.02 / 36.40	8.00	45
C1575-E3	1.5748	1.1810	0.3740	40.00	30.00	9.50	45
S1575-E3	1.5748	1.1810	0.3740	40.00	30.00	9.50	45
C1575-E3N	1.5748	1.1810	0.3740	40.00	30.00	9.50	45
C1593-E1	1.5930	1.3060T	0.2240	40.46	33.17 / 36.20	5.50	30
C1600-E1	1.6000	1.3400	0.3000	40.64	34.04	7.50	45
C1609-E1	1.6090	1.4000	0.2500	40.87	35.56	6.50	45

C1614-E1	1.6142	1.2210	0.3740	41.00	31.01	9.50	45
S1614-E1	1.6142	1.2210	0.3740	41.00	31.01	9.50	45
C1614-E1N	1.6142	1.2210	0.3740	41.00	31.01	9.50	45
C1624-E1N	1.6245	1.3280	0.3750	41.26	33.73	9.50	45
C1626-E1N	1.6260	1.3480T	0.3650	41.30	34.24 / 35.71	9.50	45
C1628-E2	1.6280	1.3440T	0.2500	41.35	34.14 / 35.05	6.50	30
C1628-E1N	1.6285	1.3480T	0.3650	41.36	34.24 / 38.71	9.50	45
C1628-E3	1.6285	1.3570T	0.2490	41.36	34.47 / 35.92	6.00	30
C1625-41	1.6300	1.1250	0.4380	41.40	28.58	11.00	45
C1625-19	1.6300	1.1880	0.2190	41.40	30.18	5.50	45
C1625-25	1.6300	1.1880	0.2500	41.40	30.18	6.50	45
C1625-8	1.6300	1.1880	0.3750	41.40	30.18	9.50	45
C1625-27	1.6300	1.2500	0.1880	41.40	31.75	5.00	45
C1625-9	1.6300	1.2500	0.2190	41.40	31.75	5.50	45
S1625-9	1.6300	1.2500	0.2190	41.40	31.75	5.50	45
C1625-6	1.6300	1.2500	0.2500	41.40	31.75	6.50	45
S1625-6	1.6300	1.2500	0.2500	41.40	31.75	6.50	45
C1625-7	1.6300	1.2500	0.3130	41.40	31.75	8.00	45
S1625-7	1.6300	1.2500	0.3130	41.40	31.75	8.00	45
C1625-28	1.6300	1.2500	0.3440	41.40	31.75	8.50	45
C1625-29	1.6300	1.2500	0.3750	41.40	31.75	9.50	45
C1625-30	1.6300	1.3130	0.1880	41.40	33.35	5.00	45
C1625-4	1.6300	1.3130	0.2190	41.40	33.35	5.50	45
S1625-4	1.6300	1.3130	0.2190	41.40	33.35	5.50	45
C1625-4N	1.6300	1.3130	0.2190	41.40	33.35	5.50	45
C1625-3	1.6300	1.3130	0.2500	41.40	33.35	6.50	45
S1625-3	1.6300	1.3130	0.2500	41.40	33.35	6.50	45
C1625-3N	1.6300	1.3130	0.2500	41.40	33.35	6.50	45
C1625-18	1.6300	1.3130	0.2810	41.40	33.35	7.00	45
C1625-10	1.6300	1.3130	0.3130	41.40	33.35	8.00	45
S1625-10	1.6300	1.3130	0.3130	41.40	33.35	8.00	45
C1625-20	1.6300	1.3130	0.3950	41.40	33.35	10.00	45
C1630-E1	1.6300	1.3350	0.3120	41.40	33.91	8.00	45

S1630-E1	1.6300	1.3350	0.3120	41.40	33.91	8.00	45
C1630-E1N	1.6300	1.3350	0.3120	41.40	33.91	8.00	45
C1625-31	1.6300	1.3440	0.1880	41.40	34.14	5.00	45
C1625-11	1.6300	1.3440	0.2190	41.40	34.14	5.50	45
C1625-5	1.6300	1.3440	0.2500	41.40	34.14	6.50	45
C1625-16	1.6300	1.3750	0.1560	41.40	34.93	4.00	45
C1625-33	1.6300	1.3750	0.1880	41.40	34.93	5.00	45
C1625-1	1.6300	1.3750	0.2190	41.40	34.93	5.50	45
S1625-1	1.6300	1.3750	0.2190	41.40	34.93	5.50	45
C1625-1N	1.6300	1.3750	0.2190	41.40	34.93	5.50	45
C1625-2	1.6300	1.3750	0.2500	41.40	34.93	6.50	45
S1625-2	1.6300	1.3750	0.2500	41.40	34.93	6.50	45
C1625-2N	1.6300	1.3750	0.2500	41.40	34.93	6.50	45
C1625-15	1.6300	1.3750	0.2660	41.40	34.93	7.00	45
S1625-15	1.6300	1.3750	0.2660	41.40	34.93	6.76	45
C1625-14	1.6300	1.3750	0.3130	41.40	34.93	8.00	45
C1625-34	1.6300	1.3750	0.3440	41.40	34.93	8.50	45
C1625-0	1.6300	1.3750	0.3750	41.40	34.93	9.50	45
C1625-39	1.6300	1.4060	0.2500	41.40	35.71	6.50	45
C1625-35	1.6300	1.4380	0.1880	41.40	36.53	5.00	45
C1625-17	1.6300	1.4380	0.2190	41.40	36.53	5.50	45
C1625-36	1.6300	1.4380	0.2500	41.40	36.53	6.50	45
C1625-37	1.6300	1.4380	0.3130	41.40	36.53	8.00	45
C1625-38	1.6300	1.4380	0.3750	41.40	36.53	9.50	45
C1625-40	1.6300	1.2500T	0.2180	41.40	31.75 / 34.93	5.50	45
C1625-58	1.6300	1.2800T	0.3150	41.40	32.51 / 34.57	8.00	45
C1625-62	1.6320	1.3200	0.3000	41.45	33.53	7.50	45
S1625-62	1.6320	1.3200	0.3000	41.45	33.53	7.50	45
C1625-54	1.6320	1.3290	0.2800	41.45	33.76	7.00	45
S1625-54	1.6320	1.3290	0.2800	41.45	33.76	7.00	45
C1625-59	1.6320	1.3800	0.2570	41.45	35.05	6.50	45
C1625-60	1.6320	1.2500T	0.2930	41.45	31.75 / 35.76	7.50	45
C1625-53	1.6320	1.2550T	0.3000	41.45	31.88 / 36.50	7.50	45

C1625-52	1.6320	1.2600T	0.3150	41.45	32.00 / 36.25	8.00	45
C1625-56	1.6320	1.2980T	0.3170	41.45	32.97 / 35.10	8.00	45
S1625-56	1.6320	1.2980T	0.3170	41.45	32.97 / 35.10	8.00	45
C1625-61	1.6320	1.3050T	0.2270	41.45	33.15 / 36.83	6.00	45
C1625-55	1.6320	1.3330T	0.2370	41.45	33.86 / 37.97	6.00	45
C1625-64	1.6320	1.3350T	0.4200	41.45	33.91 / 35.23	10.50	45
C1625-50	1.6320	1.3400T	0.3070	41.45	34.04 / 36.22	8.00	45
C1625-63	1.6320	1.3450T	0.2900	41.45	34.16 / 35.05	7.00	45
C1638-E1N	1.6380	1.4120	0.2180	41.61	35.86	5.50	45
C1640-E1	1.6400	1.3750	0.2500	41.66	34.93	6.50	45
C1654-E3	1.6535	1.2600	0.3740	42.00	32.00	9.50	45
S1654-E3	1.6535	1.2600	0.3740	42.00	32.00	9.50	45
C1654-E3N	1.6535	1.2600	0.3740	42.00	32.00	9.50	45
C1654-E1N	1.6544	1.3670	0.3120	42.02	34.72	8.00	45
C1657-E1	1.6570	1.3120T	0.3950	42.09	33.32 / 38.10	10.00	45
C1669-E1	1.6690	1.3720T	0.2720	42.39	34.85 / 36.30	7.00	37
C1670-E1	1.6700	1.4200	0.3020	42.42	36.07	7.50	30
C1671-E1N	1.6710	1.3670	0.3110	42.44	34.72	8.00	45
C1678-E1	1.6785	1.4460	0.3120	42.63	36.73	8.00	45
C1681-E1	1.6810	1.2030	0.3130	42.70	30.56	8.00	45
C1687-E3N	1.6870	1.4000	0.3650	42.85	35.56	9.00	30
C1687-E1N	1.6870	1.4380T	0.3650	42.85	36.53 / 39.27	9.50	45
C1687-E2	1.6870	1.4380T	0.3750	42.85	36.53 / 39.27	9.50	45
C1687-E4N	1.6875	1.4100	0.3650	42.86	35.81	9.00	20
C1690-E1	1.6900	1.2500	0.3750	42.93	31.75	9.50	45
C1691-E1	1.6905	1.4380	0.1810	42.94	36.53	4.50	30
C1691-E2	1.6905	1.4380	0.2000	42.94	36.53	5.00	30
C1687-42	1.6925	1.1880	0.4380	42.99	30.18	11.00	45
C1687-21	1.6925	1.2500	0.1880	42.99	31.75	5.00	45
C1687-22	1.6925	1.2500	0.2190	42.99	31.75	5.50	45
C1687-19	1.6925	1.2500	0.2500	42.99	31.75	6.50	45
C1687-23	1.6925	1.2500	0.3130	42.99	31.75	8.00	45
C1687-24	1.6925	1.3130	0.1880	42.99	33.35	5.00	45

C1687-9	1.6925	1.3130	0.2190	42.99	33.35	5.50	45
S1687-9	1.6925	1.3130	0.2190	42.99	33.35	5.50	45
C1687-9N	1.6925	1.3130	0.2190	42.99	33.35	5.50	45
C1687-6	1.6925	1.3130	0.2500	42.99	33.35	6.50	45
S1687-6	1.6925	1.3130	0.2500	42.99	33.35	6.50	45
C1687-11	1.6925	1.3130	0.3130	42.99	33.35	8.00	45
S1687-11	1.6925	1.3130	0.3130	42.99	33.35	8.00	45
C1687-0	1.6925	1.3130	0.3750	42.99	33.35	9.50	45
S1687-0	1.6925	1.3130	0.3750	42.99	33.35	9.50	45
C1687-26	1.6925	1.3440	0.1880	42.99	34.14	5.00	45
C1687-27	1.6925	1.3440	0.2190	42.99	34.14	5.50	45
C1687-28	1.6925	1.3440	0.2500	42.99	34.14	6.50	45
C1687-4	1.6925	1.3440	0.3130	42.99	34.14	8.00	45
S1687-4	1.6925	1.3440	0.3130	42.99	34.14	8.00	45
C1687-4N	1.6925	1.3440	0.3130	42.99	34.14	8.00	45
C1687-29	1.6925	1.3750	0.1880	42.99	34.93	5.00	45
C1687-5	1.6925	1.3750	0.2190	42.99	34.93	5.50	45
S1687-5	1.6925	1.3750	0.2190	42.99	34.93	5.50	45
C1687-5N	1.6925	1.3750	0.2190	42.99	34.93	5.50	45
C1687-7	1.6925	1.3750	0.2500	42.99	34.93	6.50	45
S1687-7	1.6925	1.3750	0.2500	42.99	34.93	6.50	45
C1687-18	1.6925	1.3750	0.2810	42.99	34.93	7.00	45
S1687-18	1.6925	1.3750	0.2810	42.99	34.93	7.00	45
C1687-8	1.6925	1.3750	0.3130	42.99	34.93	8.00	45
S1687-8	1.6925	1.3750	0.3130	42.99	34.93	8.00	45
C1687-12	1.6925	1.3750	0.3750	42.99	34.93	9.50	45
C1687-1	1.6925	1.4060	0.2500	42.99	35.71	6.50	45
S1687-1	1.6925	1.4060	0.2500	42.99	35.71	6.50	45
C1687-1N	1.6925	1.4060	0.2500	42.99	35.71	6.50	45
C1687-40	1.6925	1.4060	0.3130	42.99	35.71	8.00	45
C1692-E1N	1.6925	1.4300	0.2480	42.99	36.32	6.50	30
C1687-15	1.6925	1.4380	0.1560	42.99	36.53	4.00	45
S1687-15	1.6925	1.4380	0.1560	42.99	36.53	4.00	45

C1687-16	1.6925	1.4380	0.1880	42.99	36.53	5.00	45
C1687-2	1.6925	1.4380	0.2190	42.99	36.53	5.50	45
S1687-2	1.6925	1.4380	0.2190	42.99	36.53	5.50	45
C1687-2N	1.6925	1.4380	0.2190	42.99	36.53	5.50	45
C1687-3	1.6925	1.4380	0.2500	42.99	36.53	6.50	45
S1687-3	1.6925	1.4380	0.2500	42.99	36.53	6.50	45
C1687-3N	1.6925	1.4380	0.2500	42.99	36.53	6.50	45
C1687-13	1.6925	1.4380	0.3130	42.99	36.53	8.00	45
S1687-13	1.6925	1.4380	0.3130	42.99	36.53	8.00	45
C1687-14	1.6925	1.4380	0.3750	42.99	36.53	9.50	45
C1687-32	1.6925	1.5000	0.1880	42.99	38.10	5.00	45
C1687-17	1.6925	1.5000	0.2190	42.99	38.10	5.50	45
C1687-33	1.6925	1.5000	0.2500	42.99	38.10	6.50	45
C1687-41	1.6925	1.5000	0.3130	42.99	38.10	8.00	45
C1687-35	1.6925	1.5000	0.3750	42.99	38.10	9.50	45
C1687-34	1.6925	1.3750T	0.2190	42.99	34.93 / 36.51	5.50	45
C1687-10	1.6925	1.3750T	0.3130	42.99	34.93 / 36.51	8.00	45
C1687-10N	1.6925	1.3750T	0.3130	42.99	34.93 / 36.51	8.00	45
C1693-E4	1.6929	1.2990	0.3740	43.00	32.99	9.50	45
S1693-E4	1.6929	1.2990	0.3740	43.00	32.99	9.50	45
C1693-E4N	1.6929	1.2990	0.3740	43.00	32.99	9.50	45
C1693-E1N	1.6930	1.4380T	0.3650	43.00	36.53 / 39.27	9.50	45
C1693-E2	1.6930	1.4380T	0.3750	43.00	36.53 / 39.27	9.50	45
C1693-E8N	1.6935	1.4580	0.2340	43.01	37.03	6.00	45
C1687-55	1.6945	1.3400	0.3150	43.04	34.04	8.00	45
S1687-55	1.6945	1.3400	0.3150	43.04	34.04	8.00	45
C1687-54	1.6945	1.4500	0.2970	43.04	36.83	7.50	45
S1687-54	1.6945	1.4500	0.2970	43.04	36.83	7.50	45
C1687-52	1.6945	1.3000T	0.3600	43.04	33.02 / 36.07	9.00	45
C1687-57	1.6945	1.3350T	0.2750	43.04	33.91 / 37.77	7.00	45
C1687-53	1.6945	1.3380T	0.3090	43.04	33.99 / 36.47	8.00	45
C1687-50	1.6945	1.3450T	0.3250	43.04	34.16 / 38.66	8.00	45
C1687-56	1.6945	1.3750T	0.2950	43.04	34.93 / 37.47	7.50	45

C1687-51	1.6945	1.3900T	0.3050	43.04	35.31 / 36.88	7.50	45
S1687-51	1.6945	1.3900T	0.3050	43.04	35.31 / 36.88	7.50	45
C1687-58	1.6945	1.3970T	0.2570	43.04	35.48 / 37.31	6.50	45
C1695-E1	1.6950	1.3450	0.2420	43.05	34.16	6.00	45
C1711-E1S	1.7110	1.4160T	0.3780	43.46	35.97 / 38.74	9.50	45
C1722-E1	1.7220	1.3570T	0.2650	43.74	34.47 / 39.98	6.50	45
C1725-E2N	1.7255	1.4600	0.2510	43.83	37.08	6.50	30
C1732-E1	1.7323	1.3390	0.3740	44.00	34.01	9.50	45
S1732-E1	1.7323	1.3390	0.3740	44.00	34.01	9.50	45
C1732-E1N	1.7323	1.3390	0.3740	44.00	34.01	9.50	45
C1733-E2N	1.7330	1.4550T	0.3650	44.02	36.96 / 40.56	9.50	45
C1744-E1N	1.7440	1.4450	0.3120	44.30	36.70	8.00	45
C1750-18	1.7550	1.2500	0.1880	44.58	31.75	5.00	45
C1750-19	1.7550	1.2500	0.2190	44.58	31.75	5.50	45
C1750-20	1.7550	1.2500	0.3130	44.58	31.75	8.00	45
C1750-43	1.7550	1.2500	0.4380	44.58	31.75	11.00	45
C1750-22	1.7550	1.3130	0.1880	44.58	33.35	5.00	45
C1750-23	1.7550	1.3130	0.2190	44.58	33.35	5.50	45
C1750-6	1.7550	1.3130	0.2500	44.58	33.35	6.50	45
C1750-17	1.7550	1.3130	0.3130	44.58	33.35	8.00	45
S1750-17	1.7550	1.3130	0.3130	44.58	33.35	8.00	45
C1750-24	1.7550	1.3130	0.3750	44.58	33.35	9.50	45
C1750-25	1.7550	1.3130	0.4380	44.58	33.35	11.00	45
C1750-29	1.7550	1.3750	0.1880	44.58	34.93	5.00	45
C1750-7	1.7550	1.3750	0.2190	44.58	34.93	5.50	45
S1750-7	1.7550	1.3750	0.2190	44.58	34.93	5.50	45
C1750-8	1.7550	1.3750	0.2500	44.58	34.93	6.50	45
S1750-8	1.7550	1.3750	0.2500	44.58	34.93	6.50	45
C1750-8N	1.7550	1.3750	0.2500	44.58	34.93	6.50	45
C1750-15	1.7550	1.3750	0.2810	44.58	34.93	7.00	45
C1750-9	1.7550	1.3750	0.3130	44.58	34.93	8.00	45
S1750-9	1.7550	1.3750	0.3130	44.58	34.93	8.00	45
C1750-14	1.7550	1.3750	0.3590	44.58	34.93	9.00	45

C1750-0	1.7550	1.3750	0.3750	44.58	34.93	9.50	45
S1750-0	1.7550	1.3750	0.3750	44.58	34.93	9.50	45
C1750-11	1.7550	1.4380	0.1880	44.58	36.53	5.00	45
C1750-3	1.7550	1.4380	0.2190	44.58	36.53	5.50	45
S1750-3	1.7550	1.4380	0.2190	44.58	36.53	5.50	45
C1750-3N	1.7550	1.4380	0.2190	44.58	36.53	5.50	45
C1750-4	1.7550	1.4380	0.2500	44.58	36.53	6.50	45
S1750-4	1.7550	1.4380	0.2500	44.58	36.53	6.50	45
C1750-4N	1.7550	1.4380	0.2500	44.58	36.53	6.50	45
C1750-5	1.7550	1.4380	0.3130	44.58	36.53	8.00	45
S1750-5	1.7550	1.4380	0.3130	44.58	36.53	8.00	45
C1750-32	1.7550	1.4380	0.3750	44.58	36.53	9.50	45
C1750-33	1.7550	1.4380	0.4380	44.58	36.53	11.00	45
C1750-34	1.7550	1.5000	0.1880	44.58	38.10	5.00	45
C1750-2	1.7550	1.5000	0.2190	44.58	38.10	5.50	45
S1750-2	1.7550	1.5000	0.2190	44.58	38.10	5.50	45
C1750-2N	1.7550	1.5000	0.2190	44.58	38.10	5.50	45
C1750-1	1.7550	1.5000	0.2500	44.58	38.10	6.50	45
S1750-1	1.7550	1.5000	0.2500	44.58	38.10	6.50	45
C1750-1N	1.7550	1.5000	0.2500	44.58	38.10	6.50	45
C1750-13	1.7550	1.5000	0.3130	44.58	38.10	8.00	45
S1750-13	1.7550	1.5000	0.3130	44.58	38.10	8.00	45
C1750-36	1.7550	1.5000	0.3750	44.58	38.10	9.50	45
C1750-42	1.7550	1.5630	0.1880	44.58	39.70	5.00	45
C1750-38	1.7550	1.5630	0.2190	44.58	39.70	5.50	45
C1750-39	1.7550	1.5630	0.2500	44.58	39.70	6.50	45
C1750-40	1.7550	1.5630	0.3130	44.58	39.70	8.00	45
C1750-41	1.7550	1.5630	0.3750	44.58	39.70	9.50	45
C1750-58	1.7550	1.3600T	0.3150	44.58	34.54 / 39.12	8.00	45
C1750-30	1.7550	1.3750T	0.2190	44.58	34.93 / 39.69	5.50	45
C1750-57	1.7550	1.4300T	0.2150	44.58	36.32 / 41.02	5.50	45
C1750-12	1.7550	1.4380T	0.2030	44.58	36.53 / 40.89	5.00	45
C1750-68	1.7570	1.4150	0.3160	44.63	35.94	8.00	45

S1750-68	1.7570	1.4150	0.3160	44.63	35.94	8.00	45
C1750-64	1.7570	1.4540	0.2770	44.63	36.93	7.00	45
C1750-65	1.7570	1.4680	0.2760	44.63	37.29	7.00	45
C1750-62	1.7570	1.3230T	0.2760	44.63	33.60 / 38.79	7.00	45
C1750-59	1.7570	1.3600T	0.3150	44.63	34.54 / 38.18	8.00	45
C1750-67	1.7570	1.3800T	0.3820	44.63	35.05 / 39.07	10.00	45
C1750-51	1.7570	1.4100T	0.2800	44.63	35.81 / 40.64	7.00	45
C1750-63	1.7570	1.4100T	0.3150	44.63	35.81 / 39.12	8.00	45
C1750-69	1.7570	1.4150T	0.3000	44.63	35.94 / 38.99	7.50	45
C1750-60	1.7570	1.4370T	0.3020	44.63	36.50 / 39.50	7.50	45
S1750-60	1.7570	1.4370T	0.3020	44.63	36.50 / 39.50	7.50	45
C1750-61	1.7570	1.4450T	0.3100	44.63	36.70 / 41.07	8.00	45
S1750-61	1.7570	1.4450T	0.3100	44.63	36.70 / 41.07	8.00	45
C1750-52	1.7570	1.4550T	0.3070	44.63	36.96 / 40.51	8.00	45
C1750-66	1.7570	1.4600T	0.2750	44.63	37.08 / 38.86	7.00	45
C1750-54	1.7570	1.4600T	0.3160	44.63	37.08 / 40.18	8.00	45
C1750-50	1.7570	1.5000T	0.2550	44.63	38.10 / 41.00	6.50	45
C1772-E2	1.7717	1.3580	0.3940	45.00	34.49	10.00	45
S1772-E2	1.7717	1.3580	0.3940	45.00	34.49	10.00	45
C1772-E2N	1.7717	1.3580	0.3940	45.00	34.49	10.00	45
C1775-E1	1.7750	1.4580T	0.3000	45.09	37.03 / 42.67	7.50	45
C1781-E1N	1.7810	1.4760	0.3110	45.24	37.49	8.00	45
C1782-E1	1.7825	1.4900T	0.3400	45.28	37.85 / 41.22	8.50	30
C1784-E1N	1.7845	1.4170	0.2920	45.33	35.99	7.50	45
C1803-E1	1.8035	1.5710	0.3120	45.81	39.90	8.00	45
C1811-E1	1.8110	1.3980	0.3940	46.00	35.51	10.00	45
S1811-E1	1.8110	1.3980	0.3940	46.00	35.51	10.00	45
C1811-E1N	1.8110	1.3980	0.3940	46.00	35.51	10.00	45
C1811-E2N	1.8110	1.5480T	0.3340	46.00	39.32 / 41.91	8.50	45
C1812-E4	1.8120	1.5200	0.1970	46.02	38.61	5.00	30
C1812-E5	1.8120	1.5200	0.2250	46.02	38.61	5.50	30
C1812-E7	1.8120	1.5350	0.3650	46.02	38.99	9.50	20
C1812-E3	1.8120	1.5400T	0.3650	46.02	39.12 / 40.89	9.50	30

C1812-E1	1.8120	1.5630T	0.3650	46.02	39.70 / 42.21	9.50	45
C1812-E2	1.8120	1.5630T	0.3750	46.02	39.70 / 42.21	9.50	45
C1812-E6N	1.8125	1.5400	0.3650	46.04	39.12	9.50	20
C1814-E1	1.8140	1.6000	0.3150	46.08	40.64	8.00	45
C1815-E1	1.8150	1.5950	0.2500	46.10	40.51	6.50	45
C1817-E3	1.8170	1.5400T	0.3650	46.15	39.12 / 40.89	9.50	30
C1812-24	1.8175	1.3130	0.3130	46.16	33.35	8.00	45
C1812-25	1.8175	1.3130	0.3750	46.16	33.35	9.50	45
C1812-26	1.8175	1.3130	0.4380	46.16	33.35	11.00	45
C1812-32	1.8175	1.3750	0.1880	46.16	34.93	5.00	45
C1812-13	1.8175	1.3750	0.2190	46.16	34.93	5.50	45
C1812-14	1.8175	1.3750	0.2500	46.16	34.93	6.50	45
C1812-15	1.8175	1.3750	0.3130	46.16	34.93	8.00	45
C1812-16	1.8175	1.3750	0.3750	46.16	34.93	9.50	45
C1812-17	1.8175	1.4380	0.2190	46.16	36.53	5.50	45
C1812-7	1.8175	1.4380	0.2500	46.16	36.53	6.50	45
S1812-7	1.8175	1.4380	0.2500	46.16	36.53	6.50	45
C1812-11	1.8175	1.4380	0.3130	46.16	36.53	8.00	45
C1812-0	1.8175	1.4380	0.3750	46.16	36.53	9.50	45
C1812-22	1.8175	1.4380	0.4380	46.16	36.53	11.00	45
C1812-6	1.8175	1.4690	0.2500	46.16	37.31	6.50	45
C1812-21N	1.8175	1.4690	0.3130	46.16	37.31	8.00	45
C1812-34	1.8175	1.5000	0.1880	46.16	38.10	5.00	45
C1812-2	1.8175	1.5000	0.2190	46.16	38.10	5.50	45
S1812-2	1.8175	1.5000	0.2190	46.16	38.10	5.50	45
C1812-5	1.8175	1.5000	0.2500	46.16	38.10	6.50	45
S1812-5	1.8175	1.5000	0.2500	46.16	38.10	6.50	45
C1812-5N	1.8175	1.5000	0.2500	46.16	38.10	6.50	45
C1812-9	1.8175	1.5000	0.3130	46.16	38.10	8.00	45
S1812-9	1.8175	1.5000	0.3130	46.16	38.10	8.00	45
C1812-9N	1.8175	1.5000	0.3130	46.16	38.10	8.00	45
C1812-35	1.8175	1.5000	0.3440	46.16	38.10	8.50	45
C1812-18	1.8175	1.5000	0.3750	46.16	38.10	9.50	45

S1812-18	1.8175	1.5000	0.3750	46.16	38.10	9.50	45
C1812-20	1.8175	1.5000	0.4380	46.16	38.10	11.00	45
C1812-36	1.8175	1.5630	0.1880	46.16	39.70	5.00	45
C1812-4	1.8175	1.5630	0.2190	46.16	39.70	5.50	45
S1812-4	1.8175	1.5630	0.2190	46.16	39.70	5.50	45
C1812-4N	1.8175	1.5630	0.2190	46.16	39.70	5.50	45
C1812-1	1.8175	1.5630	0.2500	46.16	39.70	6.50	45
S1812-1	1.8175	1.5630	0.2500	46.16	39.70	6.50	45
C1812-1N	1.8175	1.5630	0.2500	46.16	39.70	6.50	45
C1812-10	1.8175	1.5630	0.3130	46.16	39.70	8.00	45
C1812-19	1.8175	1.5630	0.3750	46.16	39.70	9.50	45
C1812-37	1.8175	1.5630	0.4380	46.16	39.70	11.00	45
C1812-12	1.8175	1.6250	0.2190	46.16	41.28	5.50	45
S1812-12	1.8175	1.6250	0.2190	46.16	41.28	5.50	45
C1812-38	1.8175	1.6250	0.2500	46.16	41.28	6.50	45
C1812-39	1.8175	1.6250	0.3130	46.16	41.28	8.00	45
C1812-40	1.8175	1.6250	0.3750	46.16	41.28	9.50	45
C1812-3	1.8175	1.5000T	0.2190	46.16	38.10 / 41.28	5.50	45
S1812-3	1.8175	1.5000T	0.2190	46.16	38.10 / 41.28	5.50	45
C1812-8	1.8175	1.5000T	0.2190	46.16	38.10 / 39.69	5.50	45
C1818-E1	1.8180	1.5630T	0.3650	46.18	39.70 / 42.21	9.50	45
C1818-E2	1.8180	1.5630T	0.3750	46.18	39.70 / 42.21	9.50	45
C1812-56	1.8195	1.5350	0.2930	46.22	38.99	7.50	45
C1812-54	1.8195	1.4050T	0.3150	46.22	35.69 / 40.44	8.00	45
S1812-54	1.8195	1.4050T	0.3150	46.22	35.69 / 40.44	8.00	45
C1812-53	1.8195	1.4200T	0.3150	46.22	36.07 / 41.15	8.00	45
C1812-57	1.8195	1.4360T	0.2950	46.22	36.47 / 40.08	7.50	45
C1812-52	1.8195	1.4400T	0.3150	46.22	36.58 / 37.85	8.00	45
S1812-52	1.8195	1.4400T	0.3150	46.22	36.58 / 37.85	8.00	45
C1812-50	1.8195	1.4900T	0.3070	46.22	37.85 / 40.34	8.00	45
S1812-50	1.8195	1.4900T	0.3070	46.22	37.85 / 40.34	8.00	45
C1812-55	1.8195	1.5000T	0.2780	46.22	38.10 / 39.50	7.00	45
S1812-55	1.8195	1.5000T	0.2780	46.22	38.10 / 39.50	7.00	45

C1812-51	1.8195	1.5300T	0.3070	46.22	38.86 / 42.42	8.00	45
S1812-51	1.8195	1.5300T	0.3070	46.22	38.86 / 42.42	8.00	45
C1812-59	1.8195	1.5400T	0.2500	46.22	39.12 / 41.53	6.50	45
C1819-E1	1.8195	1.5710T	0.2830	46.22	39.90 / 41.05	7.00	30
C1812-60	1.8195	1.5900T	0.4500	46.22	40.39 / 41.20	11.50	45
C1823-E1	1.8230	1.5600T	0.2730	46.30	39.62 / 39.85	7.00	30
C1828-E1	1.8280	1.4380	0.3750	46.43	36.53	9.50	45
C1831-E1	1.8315	1.5550	0.2800	46.52	39.50	7.00	30
C1841-E1	1.8415	1.5600	0.2510	46.77	39.62	6.50	20
C1847-E1	1.8465	1.5630	0.2810	46.90	39.70	7.00	30
C1850-E2	1.8504	1.4370	0.3940	47.00	36.50	10.00	45
S1850-E2	1.8504	1.4370	0.3940	47.00	36.50	10.00	45
C1850-E2N	1.8504	1.4370	0.3940	47.00	36.50	10.00	45
C1853-E1	1.8530	1.4980T	0.2730	47.07	38.05 / 43.18	7.00	30
C1854-E2	1.8545	1.6090T	0.2775	47.10	40.87 / 43.31	7.00	45
C1854-E1	1.8545	1.6100T	0.2770	47.10	40.89 / 42.67	7.00	45
C1856-E1	1.8560	1.5500	0.2570	47.14	39.37	6.50	45
C1857-E1	1.8570	1.5750T	0.2290	47.17	40.01 / 42.16	6.00	45
C1858-E1N	1.8580	1.6050	0.2090	47.19	40.77	5.50	30
C1875-5	1.8800	1.3750	0.2500	47.75	34.93	6.50	45
C1875-39	1.8800	1.3750	0.4380	47.75	34.93	11.00	45
C1880-E1	1.8800	1.4060	0.2190	47.75	35.71	5.50	45
C1875-30	1.8800	1.4380	0.1880	47.75	36.53	5.00	45
C1875-31	1.8800	1.4380	0.2190	47.75	36.53	5.50	45
C1875-12	1.8800	1.4380	0.2500	47.75	36.53	6.50	45
C1875-32	1.8800	1.4380	0.3130	47.75	36.53	8.00	45
C1875-33	1.8800	1.4380	0.3750	47.75	36.53	9.50	45
C1875-34	1.8800	1.4380	0.4380	47.75	36.53	11.00	45
C1875-13	1.8800	1.5000	0.2190	47.75	38.10	5.50	45
C1875-9	1.8800	1.5000	0.2500	47.75	38.10	6.50	45
S1875-9	1.8800	1.5000	0.2500	47.75	38.10	6.50	45
C1875-14	1.8800	1.5000	0.3130	47.75	38.10	8.00	45
S1875-14	1.8800	1.5000	0.3130	47.75	38.10	8.00	45

C1875-0	1.8800	1.5000	0.3750	47.75	38.10	9.50	45
C1875-21	1.8800	1.5000	0.4380	47.75	38.10	11.00	45
C1875-19	1.8800	1.5630	0.2190	47.75	39.70	5.50	45
S1875-19	1.8800	1.5630	0.2190	47.75	39.70	5.50	45
C1875-2	1.8800	1.5630	0.2500	47.75	39.70	6.50	45
S1875-2	1.8800	1.5630	0.2500	47.75	39.70	6.50	45
C1875-11	1.8800	1.5630	0.3130	47.75	39.70	8.00	45
C1875-16	1.8800	1.5630	0.3750	47.75	39.70	9.50	45
C1875-29	1.8800	1.5630	0.4380	47.75	39.70	11.00	45
C1875-7	1.8800	1.5940	0.2500	47.75	40.49	6.50	45
S1875-7	1.8800	1.5940	0.2500	47.75	40.49	6.50	45
C1875-38	1.8800	1.6250	0.1880	47.75	41.28	5.00	45
C1875-6	1.8800	1.6250	0.2190	47.75	41.28	5.50	45
S1875-6	1.8800	1.6250	0.2190	47.75	41.28	5.50	45
C1875-1	1.8800	1.6250	0.2500	47.75	41.28	6.50	45
S1875-1	1.8800	1.6250	0.2500	47.75	41.28	6.50	45
C1875-1N	1.8800	1.6250	0.2500	47.75	41.28	6.50	45
C1875-4	1.8800	1.6250	0.2810	47.75	41.28	7.00	45
S1875-4	1.8800	1.6250	0.2810	47.75	41.28	7.00	45
C1875-17	1.8800	1.6250	0.3130	47.75	41.28	8.00	45
C1875-18	1.8800	1.6250	0.3750	47.75	41.28	9.50	45
C1875-20	1.8800	1.6880	0.2190	47.75	42.88	5.50	45
C1875-35	1.8800	1.6880	0.2500	47.75	42.88	6.50	45
C1875-36	1.8800	1.6880	0.3130	47.75	42.88	8.00	45
C1875-37	1.8800	1.6880	0.3750	47.75	42.88	9.50	45
C1875-8	1.8800	1.5000T	0.2190	47.75	38.10 / 41.28	5.50	45
C1880-E2	1.8800	1.5630T	0.4380	47.75	39.70 / 41.28	11.00	30
C1875-50	1.8820	1.6400	0.2800	47.80	41.66	7.00	45
S1875-50	1.8820	1.6400	0.2800	47.80	41.66	7.00	45
C1875-57	1.8820	1.5050T	0.2800	47.80	38.23 / 41.40	7.00	45
C1875-53	1.8820	1.5050T	0.3800	47.80	38.23 / 42.90	9.50	45
C1875-54	1.8820	1.5750T	0.2900	47.80	40.01 / 42.47	7.00	45
C1875-51	1.8820	1.5750T	0.3170	47.80	40.01 / 42.98	8.00	45

S1875-51	1.8820	1.5750T	0.3170	47.80	40.01 / 42.98	8.00	45
C1875-56	1.8820	1.6000T	0.2520	47.80	40.64 / 42.49	6.50	45
C1875-52	1.8820	1.6150T	0.2900	47.80	41.02 / 44.37	7.00	45
C1875-55	1.8820	1.6250T	0.3520	47.80	41.28 / 43.56	9.00	45
C1890-E2	1.8898	1.4760	0.3940	48.00	37.49	10.00	45
S1890-E2	1.8898	1.4760	0.3940	48.00	37.49	10.00	45
C1890-E2N	1.8898	1.4760	0.3940	48.00	37.49	10.00	45
C1894-E2	1.8940	1.5750T	0.2560	48.11	40.01 / 43.31	6.50	45
C1894-E3	1.8940	1.5750T	0.3750	48.11	40.01 / 42.98	9.50	45
C1899-E1	1.8985	1.5310T	0.2750	48.22	38.89 / 40.64	7.00	30
C1900-E2	1.9000	1.6450	0.2500	48.26	41.78	6.50	45
C1900-E3	1.9000	1.6500	0.2200	48.26	41.91	5.50	30
C1900-E1	1.9000	1.6500	0.3000	48.26	41.91	7.50	45
C1912-E1	1.9120	1.6250	0.2810	48.56	41.28	7.00	45
C1919-E1N	1.9195	1.6650	0.2500	48.76	42.29	6.50	45
C1929-E1	1.9291	1.5160	0.3940	49.00	38.51	10.00	45
S1929-E1	1.9291	1.5160	0.3940	49.00	38.51	10.00	45
C1929-E1N	1.9291	1.5160	0.3940	49.00	38.51	10.00	45
C1933-E2	1.9330	1.4540T	0.2410	49.10	36.93 / 45.16	6.00	30
C1937-51	1.9420	1.5400T	0.3150	49.33	39.12 / 43.64	8.00	45
C1937-39	1.9425	1.4380	0.4380	49.34	36.53	11.00	45
C1937-9	1.9430	1.5000	0.2500	49.35	38.10	6.50	45
C1937-20	1.9430	1.5000	0.3130	49.35	38.10	8.00	45
C1937-10	1.9430	1.5000	0.3750	49.35	38.10	9.50	45
C1937-26	1.9430	1.5000	0.4380	49.35	38.10	11.00	45
C1937-27	1.9430	1.5630	0.2190	49.35	39.70	5.50	45
C1937-4	1.9430	1.5630	0.2500	49.35	39.70	6.50	45
S1937-4	1.9430	1.5630	0.2500	49.35	39.70	6.50	45
C1937-4N	1.9430	1.5630	0.2500	49.35	39.70	6.50	45
C1937-3	1.9430	1.5630	0.3130	49.35	39.70	8.00	45
C1937-0	1.9430	1.5630	0.3750	49.35	39.70	9.50	45
C1937-6	1.9430	1.6250	0.2190	49.35	41.28	5.50	45
C1937-2	1.9430	1.6250	0.2500	49.35	41.28	6.50	45

C1937-5	1.9430	1.6250	0.2810	49.35	41.28	7.00	45
C1937-7	1.9430	1.6250	0.3130	49.35	41.28	8.00	45
C1937-8	1.9430	1.6250	0.3750	49.35	41.28	9.50	45
C1937-22	1.9430	1.6250	0.4380	49.35	41.28	11.00	45
S1937-23	1.9430	1.6880	0.1880	49.35	42.88	5.00	45
C1937-23	1.9430	1.6880	0.1880	49.35	42.88	5.00	45
C1937-17	1.9430	1.6880	0.2190	49.35	42.88	5.50	45
S1937-17	1.9430	1.6880	0.2190	49.35	42.88	5.50	45
C1937-1	1.9430	1.6880	0.2500	49.35	42.88	6.50	45
S1937-1	1.9430	1.6880	0.2500	49.35	42.88	6.50	45
C1937-15	1.9430	1.6880	0.2810	49.35	42.88	7.00	45
C1937-30	1.9430	1.6880	0.3130	49.35	42.88	8.00	45
C1937-31	1.9430	1.6880	0.3750	49.35	42.88	9.50	45
C1937-32	1.9430	1.6880	0.4380	49.35	42.88	11.00	45
C1937-19	1.9430	1.7500	0.2190	49.35	44.45	5.50	45
C1937-33	1.9430	1.7500	0.2500	49.35	44.45	6.50	45
C1937-35	1.9430	1.7500	0.3130	49.35	44.45	8.00	45
C1937-36	1.9430	1.7500	0.3750	49.35	44.45	9.50	45
C1937-37	1.9430	1.7500	0.4380	49.35	44.45	11.00	45
C1937-12	1.9430	1.578T	0.2030	49.35	40.08 / 43.69	5.00	30
C1937-18	1.9430	1.6250T	0.2380	49.35	41.28	6.00	45
C1937-52	1.9445	1.5730T	0.3790	49.39	39.95 / 43.15	9.50	45
S1937-52	1.9445	1.5730T	0.3790	49.39	39.95 / 43.15	9.50	45
C1937-54	1.9445	1.6500T	0.3140	49.39	41.91 / 44.96	8.00	45
C1937-53	1.9445	1.6740T	0.2760	49.39	42.52 / 44.04	7.00	45
C1946-E1N	1.9465	1.5740	0.3150	49.44	39.98	8.00	45
C1952-E1	1.9520	1.6600	0.3450	49.58	42.16	9.00	45
C1953-E3	1.9535	1.6400T	0.1950	49.62	41.66 / 46.43	5.00	20
C1953-E2S	1.9535	1.6400T	0.2150	49.62	41.66 / 42.42	5.50	45
C1957-E1	1.9570	1.5630T	0.3130	49.71	39.70 / 42.11	8.00	30
C1962-E1N	1.9620	1.5950T	0.3650	49.83	40.51 / 43.94	9.50	30
C1969-E2	1.9685	1.5350	0.4130	50.00	38.99	10.50	45
S1969-E2	1.9685	1.5350	0.4130	50.00	38.99	10.50	45

C1969-E2N	1.9685	1.5350	0.4130	50.00	38.99	10.50	45
C1969-E3	1.9690	1.7040	0.2340	50.01	43.28	6.00	30
C1969-E4N	1.9690	1.7260	0.2340	50.01	43.84	6.00	30
C1973-E2	1.9730	1.7300	0.2560	50.11	43.94	6.50	45
C1973-E1	1.9730	1.6580T	0.3000	50.11	42.11 / 47.63	7.50	45
C1973-E3	1.9730	1.6920T	0.3940	50.11	42.98 / 46.23	10.00	45
C1991-E1N	1.9910	1.6160	0.3090	50.57	41.05	8.00	45
C1999-E1	1.9990	1.7120T	0.3860	50.77	43.48 / 44.88	10.00	30
C2001-E1	2.0010	1.7120T	0.3850	50.83	43.48 / 47.50	10.00	30
C2003-E6N	2.0030	1.6250	0.2795	50.88	41.28	7.00	45
C2003-E3N	2.0030	1.6880	0.2340	50.88	42.88	6.00	30
C2003-E1	2.0030	1.6880	0.2810	50.88	42.88	7.00	30
C2003-E1N	2.0030	1.6880	0.2810	50.88	42.88	7.00	30
C2004-E2	2.0035	1.6880T	0.4380	50.89	42.88 / 44.40	11.00	30
C2004-E4N	2.0040	1.6880	0.4380	50.90	42.88	11.00	30
C2004-E1	2.0040	1.7180	0.3460	50.90	43.64	9.00	45
C2004-E3N	2.0040	1.6850T	0.3170	50.90	42.80 / 44.07	8.00	30
C2000-8	2.0055	1.4380	0.2500	50.94	36.53	6.50	45
C2000-32	2.0055	1.5000	0.3130	50.94	38.10	8.00	45
C2000-9	2.0055	1.5000	0.3750	50.94	38.10	9.50	45
C2000-24	2.0055	1.5000	0.4380	50.94	38.10	11.00	45
C2000-33	2.0055	1.5630	0.2190	50.94	39.70	5.50	45
C2000-10	2.0055	1.5630	0.2500	50.94	39.70	6.50	45
C2000-11	2.0055	1.5630	0.3130	50.94	39.70	8.00	45
C2000-34	2.0055	1.5630	0.3750	50.94	39.70	9.50	45
C2000-25	2.0055	1.6000	0.2810	50.94	40.64	7.00	45
C2000-12	2.0055	1.6250	0.2190	50.94	41.28	5.50	45
C2000-13	2.0055	1.6250	0.2500	50.94	41.28	6.50	45
C2000-13N	2.0055	1.6250	0.2500	50.94	41.28	6.50	45
C2000-6	2.0055	1.6250	0.2810	50.94	41.28	7.00	45
C2000-3	2.0055	1.6250	0.2970	50.94	41.28	7.50	45
C2000-3S	2.0055	1.6250	0.2970	50.94	41.28	7.50	45
C2000-3N	2.0055	1.6250	0.2970	50.94	41.28	7.50	45

C2000-14	2.0055	1.6250	0.3130	50.94	41.28	8.00	45
C2000-0	2.0055	1.6250	0.3750	50.94	41.28	9.50	45
C2000-27	2.0055	1.6250	0.4380	50.94	41.28	11.00	45
C2000-15	2.0055	1.6880	0.2190	50.94	42.88	5.50	45
C2000-16	2.0055	1.6880	0.2500	50.94	42.88	6.50	45
C2000-2	2.0055	1.6880	0.2810	50.94	42.88	7.00	45
C2000-29	2.0055	1.6880	0.3130	50.94	42.88	8.00	45
C2000-4	2.0055	1.6880	0.3750	50.94	42.88	9.50	45
C2000-35	2.0055	1.6880	0.4380	50.94	42.88	11.00	45
C2000-22	2.0055	1.7500	0.1560	50.94	44.45	4.00	45
C2000-36	2.0055	1.7500	0.1880	50.94	44.45	5.00	45
C2000-1	2.0055	1.7500	0.2190	50.94	44.45	5.50	45
C2000-1N	2.0055	1.7500	0.2190	50.94	44.45	5.50	45
C2000-17	2.0055	1.7500	0.2500	50.94	44.45	6.50	45
C2000-20	2.0055	1.7500	0.2810	50.94	44.45	7.00	45
C2000-18	2.0055	1.7500	0.3130	50.94	44.45	8.00	45
C2000-19	2.0055	1.7500	0.3750	50.94	44.45	9.50	45
C2000-37	2.0055	1.7500	0.4380	50.94	44.45	11.00	45
C2000-7	2.0055	1.8130	0.2190	50.94	46.05	5.50	45
C2000-38	2.0055	1.8130	0.2500	50.94	46.05	6.50	45
C2000-23	2.0055	1.6250T	0.2500	50.94	41.28 / 46.04	6.50	45
C2006-E2	2.0055	1.6880T	0.4380	50.94	42.88 / 44.40	11.00	30
C2006-E6S	2.0060	1.6300	0.2800	50.95	41.40	7.00	45
C2006-E3N	2.0060	1.6880	0.2340	50.95	42.88	6.00	30
C2006-E1	2.0060	1.6880	0.2810	50.95	42.88	7.00	30
C2006-E1N	2.0060	1.6880	0.2810	50.95	42.88	7.00	30
C2006-E5	2.0060	1.6900	0.2140	50.95	42.93	5.50	30
C2006-E7S	2.0060	1.6900	0.2150	50.95	42.93	5.50	30
C2000-50	2.0070	1.6250T	0.3680	50.98	41.28 / 45.72	9.50	45
C2008-E2	2.0079	1.5750	0.4130	51.00	40.01	10.50	45
C2008-E2N	2.0079	1.5750	0.4130	51.00	40.01	10.50	45
C2015-E1	2.0150	1.8280	0.1880	51.18	46.43	5.00	45
C2018-E1	2.0180	1.5940	0.2810	51.26	40.49	7.00	45

C2047-E1	2.0472	1.6140	0.4130	52.00	41.00	10.50	45
S2047-E1	2.0472	1.6140	0.4130	52.00	41.00	10.50	45
C2047-E1N	2.0472	1.6140	0.4130	52.00	41.00	10.50	45
C2049-E1	2.0485	1.7810T	0.3440	52.03	45.24 / 46.41	8.50	30
C2051-E4	2.0510	1.7440T	0.2410	52.10	44.30 / 49.71	6.00	30
C2052-E1	2.0520	1.8090	0.2560	52.12	45.95	6.50	45
S2000-15	2.0550	1.6880	0.2190	50.94	42.88	5.50	45
S2000-1	2.0550	1.7500	0.2190	50.94	44.45	5.50	45
S2000-17	2.0550	1.7500	0.2500	50.94	44.45	6.50	45
S2000-7	2.0550	1.8130	0.2190	50.94	46.05	5.50	45
C2062-18	2.0680	1.5630	0.2190	52.53	39.70	5.50	45
C2062-6	2.0680	1.5630	0.2500	52.53	39.70	6.50	45
C2062-19	2.0680	1.5630	0.3130	52.53	39.70	8.00	45
C2062-13	2.0680	1.5630	0.3750	52.53	39.70	9.50	45
C2062-20	2.0680	1.5630	0.4380	52.53	39.70	11.00	45
C2062-14	2.0680	1.5630	0.5000	52.53	39.70	12.50	45
C2062-11	2.0680	1.6250	0.2500	52.53	41.28	6.50	45
C2062-7	2.0680	1.6250	0.2810	52.53	41.28	7.00	45
C2062-21	2.0680	1.6250	0.3130	52.53	41.28	8.00	45
C2062-15	2.0680	1.6250	0.3750	52.53	41.28	9.50	45
C2062-9	2.0680	1.6250	0.4380	52.53	41.28	11.00	45
C2062-22	2.0680	1.6880	0.2190	52.53	42.88	5.50	45
C2062-4	2.0680	1.6880	0.2500	52.53	42.88	6.50	45
C2062-8	2.0680	1.6880	0.2810	52.53	42.88	7.00	45
C2062-5	2.0680	1.6880	0.3130	52.53	42.88	8.00	45
C2062-23	2.0680	1.6880	0.3750	52.53	42.88	9.50	45
C2062-24	2.0680	1.6880	0.4380	52.53	42.88	11.00	45
C2062-25	2.0680	1.7500	0.2190	52.53	44.45	5.50	45
C2062-2	2.0680	1.7500	0.2810	52.53	44.45	7.00	45
C2062-27	2.0680	1.7500	0.3130	52.53	44.45	8.00	45
C2062-28	2.0680	1.7500	0.3440	52.53	44.45	8.50	45
C2062-30	2.0680	1.8130	0.1880	52.53	46.05	5.00	45
C2062-29	2.0680	1.8130	0.2190	52.53	46.05	5.50	45

C2062-3	2.0680	1.8130	0.2500	52.53	46.05	6.50	45
C2062-10	2.0680	1.8130	0.2810	52.53	46.05	7.00	45
C2062-31	2.0680	1.8130	0.3130	52.53	46.05	8.00	45
C2062-1	2.0680	1.8130T	0.2500	52.53	46.05 / 47.63	6.50	45
S2062-1	2.0680	1.8130T	0.2500	52.53	46.05 / 47.63	6.50	45
S2008-E2	2.0790	1.5750	0.4130	51.00	40.01	10.50	45
C2087-E2	2.0866	1.6540	0.4130	53.00	42.01	10.50	45
C2087-E2N	2.0866	1.6540	0.4130	53.00	42.01	10.50	45
C2088-E1	2.0880	1.6920	0.2990	53.04	42.98	8.00	30
S2087-E2	2.0886	1.6540	0.4130	53.05	42.01	10.50	45
C2100-E1	2.1000	1.7820	0.2670	53.34	45.26	7.00	30
C2126-E1	2.1260	1.6930	0.4130	54.00	43.00	10.00	45
S2126-E1	2.1260	1.6930	0.4130	54.00	43.00	10.50	45
C2126-E1N	2.1260	1.6930	0.4130	54.00	43.00	10.00	45
C2129-E2	2.1290	1.7520T	0.3060	54.08	44.50 / 47.45	8.50	30
C2129-E1	2.1290	1.8130T	0.4380	54.08	46.05 / 47.32	11.00	30
C2125-18	2.1305	1.5630	0.2190	54.11	39.70	5.50	45
C2125-19	2.1305	1.5630	0.2500	54.11	39.70	6.50	45
C2125-20	2.1305	1.5630	0.3130	54.11	39.70	8.00	45
C2125-21	2.1305	1.5630	0.3750	54.11	39.70	9.50	45
C2125-22	2.1305	1.5630	0.4380	54.11	39.70	11.00	45
C2125-24	2.1305	1.6250	0.2500	54.11	41.28	6.50	45
C2125-6	2.1305	1.6250	0.2810	54.11	41.28	7.00	45
C2125-26	2.1305	1.6250	0.3750	54.11	41.28	9.50	45
C2125-12	2.1305	1.6250	0.4380	54.11	41.28	11.00	45
C2125-16	2.1305	1.6880	0.2500	54.11	42.88	6.50	45
C2125-15	2.1305	1.6880	0.3130	54.11	42.88	8.00	30
C2125-28	2.1305	1.6880	0.3750	54.11	42.88	9.50	45
C2125-29	2.1305	1.6880	0.4380	54.11	42.88	11.00	45
C2125-17	2.1305	1.7190	0.2810	54.11	43.66	7.00	30
C2125-11	2.1305	1.7500	0.2190	54.11	44.45	5.50	45
C2125-7	2.1305	1.7500	0.2500	54.11	44.45	6.50	45
C2125-10	2.1305	1.7500	0.2810	54.11	44.45	7.00	45

C2125-8	2.1305	1.7500	0.3130	54.11	44.45	8.00	45
C2125-0	2.1305	1.7500	0.3750	54.11	44.45	9.50	45
C2125-30	2.1305	1.7500	0.4380	54.11	44.45	11.00	45
C2125-38	2.1305	1.8130	0.1880	54.11	46.05	5.00	45
S2125-38	2.1305	1.8130	0.1880	54.11	46.05	5.00	45
C2125-31	2.1305	1.8130	0.2190	54.11	46.05	5.50	45
C2125-1	2.1305	1.8130	0.2500	54.11	46.05	6.50	45
S2125-1	2.1305	1.8130	0.2500	54.11	46.05	6.50	45
C2125-32	2.1305	1.8130	0.3130	54.11	46.05	8.00	45
C2125-33	2.1305	1.8130	0.3750	54.11	46.05	9.50	45
C2125-13	2.1305	1.8130	0.4380	54.11	46.05	11.00	45
C2125-34	2.1305	1.8750	0.2190	54.11	47.63	5.50	45
C2125-2	2.1305	1.8750	0.2500	54.11	47.63	6.50	45
S2125-2	2.1305	1.8750	0.2500	54.11	47.63	6.50	45
C2125-4	2.1305	1.9060	0.2500	54.11	48.41	6.50	45
C2125-3	2.1305	1.9380	0.1880	54.11	49.23	5.00	45
C2125-39	2.1305	1.9380	0.2190	54.11	49.23	5.50	45
C2125-36	2.1305	1.9380	0.2500	54.11	49.23	6.50	45
C2125-37	2.1305	1.9380	0.3130	54.11	49.23	8.00	45
C2125-5	2.1305	1.7500T	0.2500	54.11	44.45	6.50	45
C2131-E1	2.1310	1.8130T	0.4380	54.13	46.05 / 47.32	11.00	30
C2136-E1N	2.1360	1.7050T	0.3190	54.25	43.31 / 45.34	8.00	45
C2150-E1	2.1500	1.8590	0.2920	54.61	47.22	7.50	30
C2165-E1	2.1654	1.7320	0.4330	55.00	43.99	11.00	45
S2165-E1	2.1654	1.7320	0.4330	55.00	43.99	11.00	45
C2165-E1N	2.1654	1.7320	0.4330	55.00	43.99	11.00	45
C2169-E1	2.1695	1.7770T	0.3500	55.11	45.14 / 50.67	9.00	45
C2187-5	2.1930	1.6880	0.2500	55.70	42.88	6.50	30
C2187-13	2.1930	1.6880	0.2810	55.70	42.88	7.00	45
C2187-31	2.1930	1.6880	0.4380	55.70	42.88	11.00	45
C2187-15	2.1930	1.7500	0.2190	55.70	44.45	5.50	45
C2187-16	2.1930	1.7500	0.2500	55.70	44.45	6.50	45
C2187-3	2.1930	1.7500	0.2810	55.70	44.45	7.00	45

C2187-17	2.1930	1.7500	0.3130	55.70	44.45	8.00	45
C2187-8	2.1930	1.7500	0.3750	55.70	44.45	9.50	45
C2187-7	2.1930	1.7500	0.4380	55.70	44.45	11.00	45
C2187-18	2.1930	1.8130	0.2190	55.70	46.05	5.50	45
C2187-1	2.1930	1.8130	0.2500	55.70	46.05	6.50	45
C2187-1S	2.1930	1.8130	0.2500	55.70	46.05	6.50	45
C2187-2	2.1930	1.8130	0.2810	55.70	46.05	7.00	45
C2187-19	2.1930	1.8130	0.3130	55.70	46.05	8.00	45
C2187-20	2.1930	1.8130	0.3440	55.70	46.05	8.50	45
C2187-9	2.1930	1.8130	0.3750	55.70	46.05	9.50	45
C2187-21	2.1930	1.8130	0.4380	55.70	46.05	11.00	45
C2187-10	2.1930	1.8130	0.5000	55.70	46.05	12.50	45
C2187-11	2.1930	1.8750	0.1880	55.70	47.63	5.00	45
C2187-12	2.1930	1.8750	0.2500	55.70	47.63	6.50	45
C2187-4	2.1930	1.8750	0.2810	55.70	47.63	7.00	45
C2187-23	2.1930	1.8750	0.3130	55.70	47.63	8.00	45
C2187-24	2.1930	1.8750	0.3750	55.70	47.63	9.50	45
C2187-25	2.1930	1.8750	0.4380	55.70	47.63	11.00	45
C2187-26	2.1930	1.9380	0.2190	55.70	49.23	5.50	45
C2187-27	2.1930	1.9380	0.2500	55.70	49.23	6.50	45
C2187-28	2.1930	1.9380	0.3130	55.70	49.23	8.00	45
C2187-29	2.1930	1.9380	0.3750	55.70	49.23	9.50	45
C2187-30	2.1930	1.9380	0.4380	55.70	49.23	11.00	45
C2205-E2	2.2047	1.7720	0.4330	56.00	45.01	11.00	45
S2205-E2	2.2047	1.7720	0.4330	56.00	45.01	11.00	45
C2205-E2N	2.2047	1.7720	0.4330	56.00	45.01	11.00	45
C2212-E1N	2.2125	1.9600	0.2500	56.20	49.78	6.50	45
C2220-E1	2.2200	1.8430	0.3120	56.39	46.81	8.00	45
C2244-E1	2.2441	1.8110	0.4330	57.00	46.00	11.00	45
S2244-E1	2.2441	1.8110	0.4330	57.00	46.00	11.00	45
C2244-E1N	2.2441	1.8110	0.4330	57.00	46.00	11.00	45
C2247-E1	2.2475	1.8950	0.3525	57.09	48.13	9.00	45
C2250-21	2.2555	1.6250	0.3130	57.29	41.28	8.00	45

C2250-16	2.2555	1.6250	0.3750	57.29	41.28	9.50	45
C2250-22	2.2555	1.6250	0.4380	57.29	41.28	11.00	45
C2250-4	2.2555	1.6880	0.2500	57.29	42.88	6.50	45
C2250-5	2.2555	1.7500	0.2190	57.29	44.45	5.50	45
C2250-6	2.2555	1.7500	0.2810	57.29	44.45	7.00	45
C2250-7	2.2555	1.7500	0.3750	57.29	44.45	9.50	45
C2250-17	2.2555	1.7500	0.4380	57.29	44.45	11.00	45
C2250-14	2.2555	1.7810	0.2500	57.29	45.24	6.50	45
C2250-29	2.2555	1.8130	0.1880	57.29	46.05	5.00	45
C2250-8	2.2555	1.8130	0.2500	57.29	46.05	6.50	45
C2250-11	2.2555	1.8130	0.2810	57.29	46.05	7.00	45
C2250-31	2.2555	1.8130	0.3130	57.29	46.05	8.00	45
C2250-32	2.2555	1.8130	0.3440	57.29	46.05	8.50	45
C2250-19	2.2555	1.8130	0.3750	57.29	46.05	9.50	45
C2250-18	2.2555	1.8130	0.4380	57.29	46.05	11.00	45
C2250-9	2.2555	1.8750	0.2500	57.29	47.63	6.50	45
C2250-2	2.2555	1.8750	0.2810	57.29	47.63	7.00	45
C2250-20	2.2555	1.8750	0.3130	57.29	47.63	8.00	45
C2250-13	2.2555	1.8750	0.3750	57.29	47.63	9.50	45
C2250-34	2.2555	1.8750	0.4380	57.29	47.63	11.00	45
C2250-1	2.2555	1.9380	0.1880	57.29	49.23	5.00	45
S2250-1	2.2555	1.9380	0.1880	57.29	49.23	5.00	45
C2250-35	2.2555	1.9380	0.2190	57.29	49.23	5.50	45
C2250-15	2.2555	1.9380	0.2500	57.29	49.23	6.50	45
C2250-12	2.2555	1.9380	0.2810	57.29	49.23	7.00	45
C2250-36	2.2555	2.0000	0.2190	57.29	50.80	5.50	45
C2250-37	2.2555	2.0000	0.2500	57.29	50.80	6.50	45
C2250-10	2.2555	2.0000	0.2810	57.29	50.80	7.00	45
C2284-E2	2.2835	1.8500	0.4330	58.00	46.99	11.00	45
S2284-E2	2.2835	1.8500	0.4330	58.00	46.99	11.00	45
C2284-E2N	2.2835	1.8500	0.4330	58.00	46.99	11.00	45
C2312-6	2.3180	1.7500	0.2500	58.88	44.45	6.50	30
C2312-7	2.3180	1.7500	0.4380	58.88	44.45	11.00	45

C2312-3	2.3180	1.8130	0.2810	58.88	46.05	7.00	45
C2312-11	2.3180	1.8130	0.3750	58.88	46.05	9.50	45
C2312-8	2.3180	1.8130	0.4380	58.88	46.05	11.00	45
C2312-14	2.3180	1.8750	0.2500	58.88	47.63	6.50	45
C2312-1	2.3180	1.8750	0.2810	58.88	47.63	7.00	45
C2312-5	2.3180	1.8750	0.3750	58.88	47.63	9.50	45
C2312-10	2.3180	1.8750	0.4380	58.88	47.63	11.00	45
C2312-16	2.3180	1.9380	0.2500	58.88	49.23	6.50	45
C2312-2	2.3180	1.9380	0.2810	58.88	49.23	7.00	45
C2312-17	2.3180	1.9380	0.3130	58.88	49.23	8.00	45
C2312-9	2.3180	2.0000	0.2500	58.88	50.80	6.50	45
C2312-4	2.3180	2.0000	0.2810	58.88	50.80	7.00	45
C2323-E2	2.3228	1.8900	0.4330	59.00	48.01	11.00	45
S2323-E2	2.3228	1.8900	0.4330	59.00	48.01	11.00	45
C2323-E2N	2.3228	1.8900	0.4330	59.00	48.01	11.00	45
C2362-E1	2.3622	1.8900	0.4530	60.00	48.01	11.50	45
S2362-E1	2.3622	1.8900	0.4530	60.00	48.01	11.50	45
C2362-E1N	2.3622	1.8900	0.4530	60.00	48.01	11.50	45
C2366-E2N	2.3665	1.9770	0.3920	60.11	50.22	10.00	45
C2366-E1	2.3665	2.0100	0.3525	60.11	51.05	9.00	30
C2367-E1	2.3670	2.0450	0.3820	60.12	51.94	10.00	30
C2368-E3N	2.3680	1.8700	0.4600	60.15	47.50	11.50	20
C2368-E2N	2.3680	1.8900	0.4600	60.15	48.01	11.50	20
C2375-15	2.3805	1.8750	0.4380	60.46	47.63	11.00	45
C2375-1	2.3805	2.0000	0.1880	60.46	50.80	5.00	45
C2375-2	2.3805	2.0000	0.2810	60.46	50.80	7.00	45
C2375-2N	2.3805	2.0000	0.2810	60.46	50.80	7.00	45
C2381-E1S	2.3810	1.9300	0.3225	60.48	49.02	8.00	30
C2381-E1	2.3810	1.9300	0.3230	60.48	49.02	8.00	30
C2381-E2S	2.3810	2.0300	0.3225	60.48	51.56	8.00	30
C2381-E2	2.3810	2.0300	0.3230	60.48	51.56	8.00	30
C2387-E1	2.3870	1.9700	0.3820	60.63	50.04	10.00	30
C2387-E2	2.3875	1.8900	0.3610	60.64	48.01	9.00	20

C2402-E1	2.4016	1.9290	0.4530	61.00	49.00	11.50	45
S2402-E1	2.4016	1.9290	0.4530	61.00	49.00	11.50	45
C2402-E1N	2.4016	1.9290	0.4530	61.00	49.00	11.50	45
C2405-E1	2.4050	1.9730T	0.3900	61.09	50.11 / 52.83	10.00	30
C2435-E2N	2.4350	2.1250	0.6250	61.85	53.98	16.00	30
C2435-E1	2.4350	2.1250T	0.6250	61.85	53.98 / 56.06	16.00	30
C2441-E1	2.4409	1.9690	0.4530	62.00	50.01	11.50	45
S2441-E1	2.4409	1.9690	0.4530	62.00	50.01	11.50	45
C2441-E1N	2.4409	1.9690	0.4530	62.00	50.01	11.50	45
C2437-1	2.4430	2.0000	0.2810	62.05	50.80	7.00	45
C2444-E1	2.4440	2.0460	0.2990	62.08	51.97	7.50	30
C2480-E1	2.4803	2.0800	0.4530	63.00	51.00	11.50	45
S2480-E1	2.4803	2.0800	0.4530	63.00	51.00	11.50	45
C2480-E1N	2.4803	2.0800	0.4530	63.00	51.00	11.50	45
C2503-E1	2.5030	2.0000	0.5000	63.58	50.80	12.50	45
C2503-E2	2.5030	2.0630T	0.5000	63.58	52.40 / 54.86	12.50	45
C2506-E1	2.5060	2.0000	0.5000	63.65	50.80	12.50	45
C2506-E2	2.5060	2.0630T	0.5000	63.65	52.40 / 54.86	12.50	45
C2520-E1	2.5197	2.0470	0.4530	64.00	51.99	11.50	45
C2520-E1N	2.5197	2.0470	0.4530	64.00	51.99	11.50	45
C2559-E1	2.5591	2.0870	0.4530	65.00	53.01	11.50	45
C2559-E1N	2.5591	2.0870	0.4530	65.00	53.01	11.50	45
C2562-1	2.5685	2.1880	0.2500	65.24	55.58	6.50	30
C2590-E1	2.5900	2.2810T	0.6250	65.79	57.94 / 59.94	16.00	30
C2677-E1	2.6772	2.1650	0.4720	68.00	54.99	12.00	45
C2677-E1N	2.6772	2.1650	0.4720	68.00	54.99	12.00	45
C2756-E1	2.7559	2.2440	0.4720	70.00	57.00	12.00	45
C2756-E1N	2.7559	2.2440	0.4720	70.00	57.00	12.00	45